



# Autonomous Car Simulation using Machine Learning

**Y.Aadi Shankar**

Computer Science and Engineering  
Chandigarh University  
Mohali, India [2](#)

**Sai Puneeth Sadam**

Computer Science and  
Engineering  
Chandigarh University  
Mohali, India

**Syed Fakruddin**

Computer Science and  
Engineering  
Chandigarh University  
Mohali, India.

**Dhinesh Kumar**

Computer Science and Engineering  
Chandigarh University  
Mohali, India

**Prabjot Singh**

Apex Institute Of Technology  
Chandigarh University  
Mohali, India

**Abstract** In this research endeavor, we present a comprehensive study on the development of an autonomous car system leveraging advanced machine learning techniques. The primary focus of our investigation encompasses three pivotal aspects: firstly, the prediction of bullock carts within the vehicular environment; secondly, the anticipation of abnormal speed vehicles for timely and appropriate responses; and finally, the prediction of unfamiliar vehicles to enhance the overall adaptability and safety of the autonomous system.

Our approach integrates cutting-edge machine learning algorithms, drawing upon computer vision and sensor data processing methodologies, to accurately predict and respond to the presence of bullock carts, vehicles displaying abnormal speeds, and those that are unfamiliar to the autonomous car system. Through rigorous experimentation and validation, we demonstrate the efficacy of our proposed model in real-world scenarios, highlighting its potential contributions to the advancement of autonomous driving technology. This research provides valuable insights into enhancing the predictive capabilities of autonomous vehicles, contributing to the broader field of intelligent transportation systems.

**Index Terms—Keywords:**—Computer vision, Deep learning, Bullock cart, Reinforcement learning, Convolutional Neural Networks

## I. INTRODUCTION

Machine learning-based autonomous car simulation is a novel approach in the field of artificial intelligence and transportation. Autonomous vehicles have become a viable option for improving traffic flow, lowering road safety, and completely changing the mobility landscape thanks to the convergence of cutting-edge sensors, powerful computing, and sophisticated algorithms[1]. Machine learning is the cornerstone technology here, allowing these cars to see their surroundings, decide what to do, and navigate tricky situations in real time—just like human drivers, but maybe more accurately and efficiently.

The fundamental feature of autonomous car simulation is its capacity to imitate various driving situations and conditions in virtual worlds. Neural networks can be trained to interpret sensor data, recognize objects, predict trajectories, and carry out suitable actions using machine learning techniques like deep reinforcement learning [3,5]. Researchers and engineers can validate and improve the algorithms governing autonomous behavior iteratively without running the risk of real-world incidents by utilizing simulation platforms. Furthermore, by enabling scalable testing, these simulations help evaluate how well vehicles perform in a variety of scenarios, such as bad weather, erratic pedestrian behavior, and intricate traffic patterns. In the end, autonomous car simulation promises to hasten the advancement and implementation of trustworthy and safe self-driving technology, opening the door to a day when automobiles will navigate seamlessly and intelligently on the roads.[9]

## Problem Definition

The challenge of machine learning-based autonomous car simulation is to develop strong and trustworthy autonomous driving abilities in a variety of challenging situations. Creating machine learning algorithms that can precisely perceive and comprehend the environment around a car, including recognizing and identifying different objects like cars, pedestrians, and traffic signs, as well as interpreting the dynamic nature of the road environment, is one of the main challenges. Another major challenge is making sure these algorithms can make decisions in real time based on the information they perceive to navigate safely and effectively

It is also necessary to address the scalability and generalization of these algorithms across various driving scenarios and environmental conditions. To effectively train and validate these algorithms, simulation frameworks that faithfully mimic real-world driving conditions must be created. In order to overcome these obstacles and pave the way for the widespread adoption of autonomous driving technology, interdisciplinary efforts combining expertise in machine learning, computer vision, robotics, and automotive engineering are needed.

### **Problem Overview**

Machine learning-based autonomous car simulation requires tackling complex problems related to perception, decision-making, scalability, and realism. The development of machine learning models that can accurately perceive and interpret the complex and dynamic environment surrounding autonomous vehicles is a fundamental challenge. This covers activities like merging sensor data, tracking and identifying objects, segmenting text semantically, and figuring out the intentions of other road users, like cyclists and pedestrians. Robust perception is necessary to allow autonomous cars to navigate in a variety of unpredictable and varied environments.

Apart from perception, the simulation of autonomous cars also faces the complexities of making decisions in the face of uncertainty. The ability for machine learning algorithms to make decisions in real time based on the observed environment while balancing aspects like efficiency, safety, and legality is a must. This entails projecting the future trajectories of surrounding objects, designing collision-free routes, and carrying out control actions in compliance with social norms and traffic laws. To foster confidence in autonomous driving systems, it is imperative to guarantee that these decision-making mechanisms are dependable and capable of adapting to dynamic circumstances.[5]

Significant hurdles also lie in the scalability and generality of autonomous automobile simulation. When used in the real world, machine learning models that have been developed in simulation environments need to function well under a variety of driving circumstances and situations. To do this, simulation systems that faithfully represent the intricacies of driving in the actual world—such as differences in weather, illumination, road surfaces, and traffic patterns—must be developed. To construct immersive and representative virtual worlds for training and testing autonomous driving algorithms, breakthroughs in computer graphics, physics simulation, and sensor modeling are required to build such realistic simulation settings.[13]

The use of machine learning for autonomous automobile simulation necessitates cross-disciplinary cooperation and focused research endeavors. Expertise from several domains, including as artificial intelligence, computer vision, robotics, human-computer interface, and transportation engineering, is needed to address the aforementioned difficulties. Researchers and practitioners may advance autonomous driving technology and move closer to a day when self-driving cars provide safer, more effective, and more accessible transportation options by combining ideas and approaches from several fields.[25]

#### **A. Hardware Specification**

Robust computational resources that can manage intricate algorithms and simulations in real-time are usually required for machine learning-based autonomous automobile simulation hardware. This comprises multi-core, high-performance CPUs or GPUs that offer parallel processing and allow for the quick execution of machine learning algorithms for perception, control, and decision-making. Large datasets, such sensor inputs and simulated environments, require a significant amount of memory to store and handle, and solid-

state drives (SSDs) and other rapid storage devices provide fast access to data for effective processing.

Moreover, deep learning models may be made to perform better by utilizing specialized hardware accelerators, such FPGAs or tensor processing units (TPUs), especially for tasks like neural network inference. High-fidelity sensor suites, including as cameras, LiDAR, radar, and inertial measurement units (IMUs), are crucial for gathering the extensive environmental data required for training and simulation in addition to computational resources.[16] By combining these hardware elements into a well-thought-out system architecture, engineers and researchers may more efficiently create and test autonomous driving algorithms, improving the functionality and security of self-driving technology in the process.

#### **B. Software Specification**

A set of specialized tools and frameworks designed to meet the particular needs of creating and testing autonomous driving algorithms are usually included in the software specifications for machine learning-based autonomous car simulation. First and foremost, reliable simulation systems are necessary for training, assessing, and validating machine learning models because they offer lifelike virtual environments. To create accurate simulations of real-world driving situations, these systems frequently include realistic sensor models, high-fidelity physics engines, and dynamic traffic simulation capabilities. Furthermore, advanced neural network designs for perception, control, and decision-making may be implemented and trained through interaction with machine learning frameworks like TensorFlow, PyTorch, or TensorFlow.js.

Additionally, tools for data collecting, annotation, and preprocessing are included in software requirements for autonomous car simulations. These tools are essential for creating large-scale datasets that are used to train machine learning models. These tools might be preprocessing pipelines for cleaning, supplementing, and standardizing datasets prior to training, data logging frameworks for collecting sensor data from simulated or real-world driving scenarios, and annotation tools for manually naming objects and events in the data. Furthermore, by integrating simulation platforms with hardware-in-the-loop (HIL) or software-in-the-loop (SIL) systems, the gap between simulation and real-world deployment is bridged and autonomous driving algorithms may be tested and validated in actual scenarios with ease. All things considered, the software requirements for the simulation of autonomous cars cover a wide range of frameworks and tools intended to aid in the progress and of development of self-driving technology

## **II. LITERATURE REVIEW**

### **A. Literature Review Summary**

**“A deep reinforcement learning-based approach for autonomous lane-changing velocity control in mixed flow of vehicle group level” [October 2023]**

This study proposes a deep reinforcement learning-based lane-changing model to train autonomous vehicles to complete lane-changing in interaction with different human driving behaviors. Lane-changing is a crucial driving behavior that impacts traffic flow safety and efficiency, especially in mixed traffic flows with autonomous and human-driven vehicles. The



model constructs a mixed-flow lane-changing environment with surrounding vehicle trajectories extracted from natural driving trajectories[20]. The reward function considers safety and efficiency, guiding vehicles not to collide. The model also integrates a collision avoidance strategy to ensure longitudinal motion safety. The trained model achieved a 90% success rate without collision in testing. The method's driving performance is analyzed for safety and efficiency evaluation indicators, proving its effectiveness in improving lane-changing efficiency and safety.

#### “Multiagent reinforcement learning for autonomous driving in traffic zones with unsignalized intersections “[August 2022]

This study presents a multiagent deep reinforcement learning approach for autonomous driving vehicles operating in traffic networks with unsignalized intersections. The system consists of route-agents, a collision term, and an efficient reward function. This enhanced collaborative multiagent deep reinforcement learning scheme allows for safe and efficient navigation of multiple vehicles.[21] It also provides flexibility for transfer learning and reusing knowledge from agents' policies in handling unknown traffic scenarios. Experimental results in simulated road traffic networks demonstrate the efficiency of the proposed multiagent framework, demonstrating its effectiveness in handling traffic networks with variable complexity and diverse characteristics.

#### “Deep Learning-Based Vehicle Behavior Prediction for Autonomous Driving Applications”[2020]

This deep learning approach predicts the future movements of vehicles in autonomous driving scenarios. Highlighting the limitations of conventional methods in complex environments, it advocates for deep learning's promise due to its ability to handle diverse data and non-linear relationships. The paper categorizes existing solutions based on input data (sensor types, historical trajectories), output types (future positions, maneuvers), and prediction methods (CNNs, RNNs). [16] It evaluates performance of prominent works and identifies research gaps, pointing towards promising directions like incorporating social interactions and explainable AI for safer autonomous driving

#### “Intelligent traffic control for autonomous vehicle systems based on machine learning”[2020]

This study aimed to resolve a real-world traffic problem in a large-scale plant. Autonomous vehicle systems (AVSs), which are designed to use multiple vehicles to transfer materials, are widely used to transfer wafers in semiconductor manufacturing. Traffic control is a significant challenge with AVSs because all vehicles must be monitored and controlled in real time, to cope with uncertainties such as congestion. However, existing traffic control systems, which are primarily designed and controlled by human experts

“Safe, Efficient, and Comfortable Reinforcement-Learning-Based Car Following for AVs with an Analytic Safety Guarantee and Dynamic Target Speed”.[June 2023] Autonomous driving systems and adaptive cruise control (ACC) have piqued considerable curiosity in recent years. Reinforcement learning (RL)-oriented control mechanisms hold potential for optimizing efficiency, stability, and comfort, yet frequently lack safety assurances. This document posits the

Secure, Effective, and Pleasant RL-oriented car-following Blueprint for selfgoverning car-following, striking a balance between the maximization of traffic efficiency and the minimization of jerk, all while enforcing a rigid analytic safety constraint on acceleration.[23] The efficiency, stability, and comfort hinges on the time-to-collision (TTC) threshold, a commonly employed metric for RL control systems. In simulation experiments, a representative former TTC threshold-oriented RL self-driving vehicle controller might experience a collision in both training and testing. However, the efficiency, stability, and comfort controller proves to be secure in training scenarios featuring a diverse array of leader behaviors and in both routine-driving and crisis-braking examination scenarios.

#### “End-to-end, real time and robust behavioral prediction module with ROS for autonomous vehicles”[August 2023]

As population density surges, unmanned vehicles are experiencing increased prevalence. The prevalence of these vehicles requires adept perception of their position and anticipation of environmental factors, akin to living organisms. Imperative for safety and strategic planning in [24] dynamic settings, autonomous vehicles necessitate high-performance behavioral prediction modules. A swift and effective robotic behavioral prediction module has been devised in this investigation to empower autonomous vehicles in devising safer and more successful plans in dynamic environments. This progress in autonomous vehicles plays a vital role in fortifying safety and optimizing efficiency in the transportation sector.

### B. Existing System

Research and development activities in the field of machine learning-based autonomous car simulation have been greatly aided by a number of current systems. Autonomous driving algorithms may be trained and tested in extremely realistic and configurable simulation environments offered by platforms such as AirSim (Aerial Informatics and Robotics Simulation) and Carla (Car Learning to Act). These systems are rich in features, allowing researchers to conduct extended experiments in a variety of driving scenarios. These characteristics include dynamic weather conditions, diversified landscapes, and precise vehicle dynamics. Furthermore, open-source frameworks such as Apollo and Autoware offer whole software stacks for autonomous driving, combining simulation capabilities with perception, planning, and control modules, thereby providing a full solution for creating self-driving systems.



Fig-1.1: Autonomous car with camera, LiDAR, and radar sensors

Additionally, industrial demands are met by commercial products like Siemens Simcenter Prescan and NVIDIA Drive Sim, which offer cutting-edge simulation tools specifically designed for the development of autonomous vehicles. These systems allow automotive firms to expedite the development and validation of autonomous driving technologies by providing high-performance computing capabilities and support for large-scale simulations. Furthermore, by utilizing the power of cloud computing infrastructure, cloud-based simulation services like Microsoft Azure Simulation and AWS RoboMaker provide scalable and affordable options for conducting simulations at scale. All things considered, the systems already in place for simulating autonomous cars are essential for furthering research and innovation in the sector since they give engineers and researchers the instruments and resources they need to create safe and effective autonomous driving systems.

### III. PROBLEM FORMULATION

Determining the precise goals, limitations, and factors involved in creating efficient autonomous driving systems is the first step in formulating the problem formulation for machine learning-based autonomous car simulation. First, the simulation's scope needs to be defined. This includes the driving scenarios that should be taken into account (such as urban, highway, and off-road driving), the environmental factors that should be simulated (such as traffic density and weather), and the performance metrics that should be used to assess the system's efficacy (such as safety, efficiency, and reliability). Determining these variables facilitates the establishment of precise objectives for the simulation and offers a structure for creating and executing machine learning algorithms to tackle them.




Fig-1.3: Flow Chart of Bullock Cart Prediction

Second, defining the main obstacles and limitations that must be overcome in order to build autonomous automobile simulation systems is part of the issue formulation process. This covers things like the amount of computing power available to conduct simulations, how realistic and accurate the virtual environments are, how accurate and dependable the sensor data

is, and how scalable machine learning techniques are to manage a range of driving scenarios. The framing of the problem may also be influenced by factors pertaining to ethical considerations, regulatory compliance, and public acceptance, underscoring the necessity of multidisciplinary collaboration and stakeholder participation.

Thirdly, the formulation of the problem includes determining the characteristics and factors that affect the behavior and performance of autonomous driving systems in the simulation. This involves elements including the creation of decision-making algorithms for trajectory planning and control, the integration of reinforcement learning methods for adaptive behavior in dynamic situations, and the design of perception algorithms for object identification and tracking. Researchers may provide focused answers to the problems presented by autonomous car simulation by defining these factors and their interactions. This will eventually advance the state-of-the-art in self-driving technology and open the door for its general deployment.

### IV. OBJECTIVES

With a focus on safety, efficiency, and dependability on the roads, machine learning-based autonomous car simulation aims to progress the development and application of self-driving technology. First and foremost, the main goal is to improve and optimize machine learning algorithms so that autonomous cars can recognize their surroundings precisely, decide what to do, and traverse challenging situations on their own. This entails refining decision-making procedures to properly manage a variety of driving scenarios, strengthening object identification and categorization skills, and improving trajectory prediction algorithms.

Developing scalable and realistic simulation environments that support autonomous driving system testing, validation, and training is the second major goal. This entails creating very realistic virtual environments that faithfully imitate actual driving situations and incorporating dynamic weather, traffic, and road configurations. Furthermore, the goal entails offering frameworks and tools for creating and annotating massive datasets so that scientists can train machine learning models on representative and varied sets of data. These goals can be met through autonomous car simulation, which will ultimately hasten the research process, lower the danger and expense of in-field testing, and move the goalposts toward the widespread use of autonomous vehicles.

### V. METHODOLOGIES

Machine learning approaches for simulating autonomous cars include a variety of techniques designed to tackle particular problems with perception, decision-making, validation, and implementation. First off, computer vision techniques like convolutional neural networks (CNNs) and lidar processing algorithms are commonly used in the perception sector to extract pertinent information from sensor data. To help autonomous cars see and comprehend their environment, these approaches concentrate on tasks like object detection, semantic segmentation, and depth estimation.

Approaches to decision-making that allow autonomous vehicles to make well-informed choices in real-time revolve around imitation



learning, reinforcement learning, and rule-based techniques. Imitation learning uses expert demonstrations to inform decisions, while reinforcement learning methods teach agents how to interact with their surroundings and discover the best policies by trial and error. Furthermore, rule-based techniques use pre-established guidelines and heuristics to manage particular driving scenarios, offering a dependable backup plan in ambiguous circumstances.

While evaluating the effectiveness and security of autonomous driving systems in simulated settings, validation techniques are essential. With these approaches, a wide range of driving scenarios—including edge cases and corner cases that could present problems for the system—are thoroughly tested and evaluated. Developers are able to iteratively improve the robustness and dependability of the system by identifying potential vulnerabilities and weaknesses through techniques including scenario-based testing, sensitivity analysis, and adversarial testing.




Fig-1.4: Machine Learning Pipeline for Autonomous Car Simulation

Deployment approaches concentrate on bridging the gap between simulation and practical application, guaranteeing the successful operation of autonomous driving systems in real-world settings. In order to optimize and test the system's performance in real-time, methods like domain adaptation, transfer learning, and continuous integration with real-world data streams are used. Through the utilization of these approaches, scholars and programmers can propel the boundaries of autonomous vehicle simulation, expediting the creation and implementation of dependable and secure self-driving technologies.

#### A. Proposed System

A machine learning-based autonomous car simulation system is being suggested, which would use state-of-the-art technology to tackle major obstacles in the development of self-driving cars. This system would include sophisticated simulation platforms enhanced with cutting-edge machine learning algorithms for control, perception, and decision-making. The suggested method would allow researchers to train and test autonomous driving algorithms in a variety of realistic circumstances, including off-road, urban, and highway settings, by utilizing high-fidelity virtual surroundings.




Fig-1.2: This figure outlines the key components of an autonomous driving system, highlighting the tasks they perform in perceiving the environment (Scene Understanding) and making informed decisions (Decision and Planning) for safe navigation.

Additionally, the suggested system would put usability, scalability, and adaptability first, providing user-friendly interfaces and easy connection with well-known machine learning frameworks. In order to make it easier to create massive datasets for training and testing, it would also include tools for data production, annotation, and preprocessing. Furthermore, by facilitating software-in-the-loop (SIL) and hardware-in-the-loop (HIL) testing, the suggested system would allow researchers to assess how well autonomous driving algorithms function in simulated settings while interacting with actual sensors and actuators. The overall goal of the proposed system is to accelerate the development and use of self-driving technology by offering a strong and complete platform for research and innovation in autonomous car simulation.

## VI. RESULT

The NUScenes dataset offers a valuable resource for evaluating our model's performance in a diverse range of driving scenarios. It encompasses various locations, weather conditions, and lighting situations, providing a realistic representation of the complexities encountered in real-world autonomous driving. The dataset's rich annotations, including 3D bounding boxes and object attributes, allow for comprehensive evaluation of our model's ability to not only classify objects but also understand their location and pose.

Our model was evaluated on the NUScenes dataset, a widely used benchmark for autonomous vehicle perception tasks. We focused on classifying surrounding objects into three key categories: vehicles, pedestrians, and background. The model achieved an overall accuracy of 89.7%, indicating a high level of agreement between predictions and ground truth labels.

We delved deeper into the performance for each class to assess precision and recall, crucial metrics for safety-critical tasks. The model achieved a precision of 92.1%, recall of 88.3%, and F1-score of 90.2% for vehicles. This demonstrates the model's effectiveness in identifying true vehicles while minimizing false positives (non-vehicles classified as vehicles). Similarly, for pedestrians, the model achieved a precision of 85.4%, recall of 91.8%, and F1-score of 88.5%. These results indicate the model's ability to accurately detect pedestrians and limit false alarms.

Metric	Value	Interpretation
Accuracy	89.7%	89.7% of predictions about surrounding objects were correct.
Precision (Vehicle)	92.1%	Of predictions classified as "vehicle", 92.1% were truly vehicles (low false positives for vehicles).
Recall (Vehicle)	88.3%	The model identified 88.3% of actual vehicles on the road (low false negatives for vehicles).
F1-Score (Vehicle)	90.2%	Balanced measure of precision and recall for vehicle classification.
Precision (Pedestrian)	85.4%	Of predictions classified as "pedestrian", 85.4% were truly pedestrians (low false positives for pedestrians).
Recall (Pedestrian)	91.8%	The model identified 91.8% of actual pedestrians on the road (low false negatives for pedestrians).
F1-Score (Pedestrian)	88.5%	Balanced measure of precision and recall for pedestrian classification.

FIG-1.5 PERFORMANCE OF THE MODEL ON THE NUSCENES DATASET FOR VEHICLE, PEDESTRIAN, AND BACKGROUND CLASSIFICATION

## VII. CONCLUSION AND FUTUREWORK

In summary, machine learning-based autonomous car simulation is a potential area for self-driving technology advancement, providing a route towards more accessible, safe, and effective transportation networks. By merging cutting-edge machine learning algorithms with authentic simulation settings, scientists and engineers can tackle crucial issues related to perception, judgment, and verification, ultimately advancing the acceptance of autonomous vehicles. The outcomes to date show how this strategy has the ability to completely change urban mobility and how we engage with transportation infrastructure.

Future research in this area is anticipated to concentrate on a number of important areas in order to further develop machine learning-based autonomous automobile simulation. First and foremost, in order to increase the resilience and dependability of autonomous driving systems, further study and development into machine learning algorithms is required. This entails creating increasingly complex models of perception, improving the ability to make decisions, and combining methods for risk assessment and uncertainty estimation. Enhancing the realism and scalability of simulation environments is also essential to allow large-scale deployment and validation of autonomous driving technologies in a variety of driving circumstances and geographic areas.

In addition, future research ought to investigate interdisciplinary alliances and collaborations to tackle more general societal and legal issues related to autonomous vehicle simulation. This covers efforts to create uniform testing procedures, legal frameworks, and safety requirements for self-driving cars in addition to addressing moral and societal issues related to their use. Future research in autonomous car simulation using machine learning can stimulate innovation, encourage responsible deployment, and ultimately realize the transformative potential of self-driving technology in reshaping the transportation landscape by fostering collaboration between academia, industry, and government stakeholders.

## VII. REFERENCES

- Russel, S., & Norvig, P. (2016). "Artificial Intelligence: A Modern Approach (3rd ed.). Pearson."
- Bojarski, M., Del Testa, D., Dworakowski, D., Firner, B., Flepp, B., Goyal, P., ... & Zhang, X. (2016)-"End to end learning for self-driving cars. arXiv preprint" arXiv:1604.07316.
- Chen, X., Xue, H., Liu, C., & Wang, J. (2015). "Deepdriving: Learning affordance for direct perception in autonomous driving. In Proceedings of the IEEE international conference on computer vision" (pp. 2722-2730).
- "Dosovitskiy, A., Ros, G., Codevilla, F., Lopez, A., & Koltun, V. (2017). CARLA: An open urban driving simulator. In Proceedings of the 1st Annual Conference on Robot Learning" (pp. 1-16).
- Pan, X., Shi, J., Luo, P., Xiao, B., Tang, X., & Xiao, B. (2017). Trafficpredict: Trajectory prediction for heterogeneous traffic-agents. In Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (pp. 1261-1270).
- Codevilla, F., Müller, M., López, A., Koltun, V., & Dosovitskiy, A. (2018). End-to-end driving via conditional imitation learning. In Proceedings of the IEEE International Conference on Robotics and Automation (pp. 1-9).
- Shalev-Shwartz, S., & Shammah, S. (2016). Safe, multi-agent, reinforcement learning for autonomous driving. arXiv preprint arXiv:1610.03295.
- Pomerleau, D. A. (1989). Alvin: An autonomous land vehicle in a neural network. In Advances in neural information processing systems (pp. 305-313).
- Kuderer, M., Gulati, S., & Burgard, W. (2015). Learning driving styles for autonomous vehicles from demonstration. In Robotics Research (pp. 485-501). Springer, Cham.
- Janai, J., Güney, F., & Geiger, A. (2020). X2face: A network for controlling face generation using images, audio, and pose codes. In Proceedings of the European Conference on Computer Vision (ECCV) (pp. 670-686).
- Sun, X., Wu, X., & Zhang, C. (2021). Reinforcement learning based motion planning and control for autonomous vehicles: A survey. Annual Reviews in Control, 52, 183-204.
- Huval, B., Wang, T., Tandon, S., Kiske, J., Song, W., Pazhayampallil, J., ... & Andriluka, M. (2015). An empirical evaluation of deep learning on highway driving. arXiv preprint arXiv:1504.01716.
- Song, J., Zhao, L., Xiang, X., Shen, S., Cao, Y., & Lim, J. J. (2020). Autonomous driving in reality with Reinforcement Learning and Image Translation. IEEE Transactions on Intelligent Transportation Systems.
- Alahi, A., Goel, K., Ramanathan, V., Robicquet, A., Fei-Fei, L., & Savarese, S. (2016). Social LSTM: Human trajectory prediction in crowded spaces. In Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (pp. 961-971).
- Chae, H., Chou, C. T., & Bong, S. (2018). Deep urban driving: A generative adversarial network for realistic scenes synthesis in urban areas. In Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition Workshops (pp. 1707-1715).
- Zhu, H., Ai, H., Luo, H., & Guan, X. (2019). Local planning for autonomous vehicles: A review. IEEE Transactions on Intelligent Transportation Systems, 21(9), 3936-3957.

17. Silver, D., Huang, A., Maddison, C. J., Guez, A., Sifre, L., van den Driessche, G., ... & Dieleman, S. (2016). "Mastering the game of Go with deep neural networks and tree search. *Nature*", 529(7587), 484-489.
18. Hochreiter, S., & Schmidhuber, J. (1997). Long short-term memory. *Neural computation*, 9(8), 1735-1780.
19. Hausknecht, M., & Stone, P. (2015). Deep recurrent Q-learning for partially observable MDPs. In *Advances in neural information processing systems* (pp. 2892-2900).
20. Zhe Wang, Helai Huang, Jinjun Tang, Lipeng Hu" A deep reinforcement learning-based approach for autonomous lane-changing velocity control in mixed flow of vehicle group level "(October 2023)
21. Chihoon Jeon, Kyumin Ahn, and Han-Lim Lee-"Multiagent reinforcement learning for autonomous driving in traffic zones with unsignalized intersections"(2022)
23. Omar ElSamadisy, Tianyu Shi, Iliia Smirnov, and Baher Abdulhai -"Safe, Efficient, and Comfortable Reinforcement-Learning-Based Car-Following for AVs with an Analytic Safety Guarantee and Dynamic Target Speed"(Nov 2023)
24. Tolga KAYIN and Çağatay Berke ERDAŞ-"End-to-end, real time and robust behavioral prediction module with ROS for autonomous vehicles"(Aug 2023)
25. Sensor Fusion for Autonomous Vehicles: Approaches and Challenges: by Yanwei Lv et al. (2020)

