



Development and Assessment of an Herbal Bath Soap Enriched with Plant Extracts.

¹Metkar Aditi Prakash

Department of Chemistry, R.B.N.B College Shirampur, Ahilyanagar, Maharashtra

Abstract :

Objective: The primary aim of this study is to develop an eco-friendly Ayurvedic bath soap using water-based extracts of plants with dermatological benefits as described in Ayurveda, specifically Orange peel, Aloe vera and Almond oil.

Methods: Orange peel were extracted in water, and this extract was combined with oils and lye in a saponification process to produce the soap.

Results: The resulting soap was assessed for physicochemical properties, including total fatty matter, moisture content, and pH, demonstrating favorable characteristics across these parameters.

Conclusion: The formulated soap is suitable for all skin types. With further standardization, it may serve as an alternative to commercial medicinal soaps for skin whitening and acne treatment.

Keywords: Ayurvedic herbs, medicinal soap, herbal bath soap.

1. Introduction

The skin, as the body's outermost layer, acts as a vital defense against various pathogens[1]. However, it is continually exposed to environmental factors, making it prone to damage[2]. Significant damage often results in the formation of scar tissue, which may appear discolored or depigmented[3]. For centuries, plants have been harnessed to treat various human ailments and infections due to their bioactive compounds, which can be used in products like ointments, creams, gels, lotions, soaps, or as crude and solvent extracts[4,5]. Plant extracts and their phytoconstituents show great potential in treating hyperpigmentation[6]. Traditional Ayurvedic plant-based remedies are gaining popularity in India, as growing evidence highlights their effectiveness relative to modern treatments[9]. Soap remains one of the most common skincare products for cleansing and maintaining skin health, though many chemical-based soaps can cause dryness and irritation. In contrast, herbal soaps are becoming popular for their effectiveness in addressing skin concerns. Ayurveda, for example, identifies certain "varnya" herbs that are known to inhibit tyrosinase, a function now recognized in modern skin care science.

Herbal Soap has advantages over synthetic soap

Natural elements found in herbal soap, such as plant extracts, essential oils, and herbs provides number of benefits over synthetic soap.

- Mild on the skin:** Herbal soaps are often kinder and milder on the skin than synthetic soap, which makes them appropriate for skin types that are more sensitive.
- Natural ingredient:** They frequently include skin nourishing and hydrating natural ingredients including shea butter, coconut oil, olive oil, and aloe vera.
- Chemical-Free:** The absence of harsh chemicals, artificial perfumes, and synthetic colors in herbal soaps lowers the possibility of allergic responses and skin irritation.
- Environmentally Friendly:** Compared to synthetic soaps, the herbal ones are typically biodegradable and environmentally friendly as they are made with natural ingredients.
- Aromatherapy advantages:** By combining essential oils with herbal soaps, aromatherapy advantages including stress alleviation, mood enhancement, and relaxation can be experienced.
- Natural antibacterial qualities:** Certain herbal substances, like neem and tea tree oil, have antibacterial qualities that assist to cleanse and shield the skin from infections.

1.1 Citrus sinensis

Common name: Orange. The preliminary phytochemical analysis of orange reveals the presence of flavonoids, carotenoids, limonoids, and vitamin C. It is classified under the Rutaceae family[12].

Pharmacological Activities

Orange offers numerous skin benefits due to its diverse pharmacological activities, including antioxidant, anti-inflammatory, antimicrobial, and anti-aging properties. Its flavonoids and vitamin C help protect the skin from oxidative stress, thus reducing fine lines and wrinkles. Limonoids and flavonoids in orange provide soothing effects, calming irritation and reducing redness and inflammation. Additionally, the compound limonene has antibacterial and antifungal properties, helping to prevent acne and skin infections. The flavonoids in orange also inhibit melanin production, thereby reducing hyperpigmentation and brightening the skin. Its vitamin C and flavonoids further hydrate and soften the skin, enhancing elasticity and firmness. Carotenoids in orange offer photoprotection against UV radiation, while both flavonoids and limonoids promote faster wound healing. Altogether, these properties make orange a potent natural remedy for various skin concerns, such as acne, psoriasis, and dermatitis.

1.2 Aloe vera

Aloe barbadensis miller is the scientific name for aloe vera, a member of the Asphodelaceae family. Aloe vera is widely recognized for its skin benefits, particularly its soothing, moisturizing, and protective effects. Its anti-inflammatory and antioxidant properties help to calm irritation, reduce redness, and alleviate conditions like acne, eczema, and psoriasis[10]. Its hydrating properties lock in moisture, resulting in softer, smoother skin. Additionally, aloe vera's vitamin C and E content support collagen production, enhancing skin elasticity and diminishing fine lines and wrinkles.

Pharmacological Activities

Aloe vera promotes wound healing by accelerating tissue repair, boosting collagen synthesis, and reducing scar formation. Its antimicrobial properties effectively combat bacterial, viral, and fungal growth, making it beneficial for treating acne, wounds and various skin infections. Aloe vera also has skin brightening effects, which help fade hyperpigmentation and dark spots, improving overall skin tone and radiance.

1.3 Almond Oil

Almond oil enhances skin elasticity and firmness, effectively reducing the appearance of stretch marks and scars. Its gentle, non-comedogenic nature makes it ideal for sensitive skin, while its emollient properties improve skin texture and radiance. Consistent use of almond oil can help even out skin tone, reduce hyperpigmentation, and offer some protection against sun damage.

7. Methods

2.1 Preparation of Soap Base

20 grams of almond oil were placed in a beaker. In a separate beaker, 14 grams of alkali were dissolved in 50 ml of distilled water with continuous stirring. The alkali solution was then added to the beaker containing the almond oil. This mixture was heated on a hot plate at low temperature with constant stirring until the oil smell dissipated, resulting in a homogeneous solution. The mixture was filtered using Whatman filter paper no. 41 and a Buchner funnel. The filtrate was allowed to settle.

2.2 Preparation of Orange Peel Soap

Dried orange peel was powdered and extracted with water. The soap base was heated using a double boiler method, and 10 ml of orange peel extract, along with a small amount of aloe vera gel, was added. This mixture was poured into soap molds and left to solidify at room temperature.

2.3 Physical Parameters

2.3.1 pH

The pH of the soap was measured by two methods: directly applying a pH strip to the freshly prepared soap and dissolving 1 gram of soap in 10 ml of water to measure the pH with a digital pH meter.

2.3.2 Determination of Percentage Free Alkali

Approximately 5 grams of the soap sample were added to 50 ml of neutralized alcohol and boiled for 30 minutes under reflux on a water bath, then allowed to cool[22]. Next, 1 ml of phenolphthalein solution was added, and the mixture was immediately titrated with 0.1 N HCl to determine free alkali content[22].

2.3.3 Foam Height

To measure foam height, 0.5 grams of soap was dispersed in 25 ml of distilled water. This solution was transferred to a 100 ml measuring cylinder, and the volume was made up to 50 ml with additional water. After giving the mixture 25 strokes, it was allowed to settle until the aqueous volume measured 50 ml, then the foam height above this aqueous volume was recorded[22].

2.3.4 Foam Retention

A 1% soap solution was prepared, and 25 ml of it was placed in a 100 ml measuring cylinder. The cylinder was covered and shaken for 10 minutes. The foam volume was then recorded at 1-minute intervals for 4 minutes[22].

2.3.5 Alcohol-Insoluble Matter

In a conical flask, 5 grams of the soap sample were mixed with 50 ml of warm ethanol and shaken vigorously until the soap completely dissolved. The solution was filtered through tared filter paper using an additional 20 ml of warm ethanol, then dried at 105°C for 1 hour. The weight of the dried paper was recorded to determine the alcohol-insoluble content[22].

2.3.6 Total Fatty Matter (TFM)

TFM was determined by acidifying the soap in hot water to release fatty acids. Ten grams of soap were dissolved in 150 ml of distilled water, heated, and then combined with 20 ml of 15% H₂SO₄ while continuing to heat until a clear solution formed[21]. To solidify the released fatty acids, 7 grams of beeswax were added, and the mixture was heated again. The solidified "cake" was removed, dried, and weighed. TFM was calculated using the formula: % TFM = (Weight of cake - Weight of wax) / Weight of soap × 100.

2.3.7 Moisture Content

The moisture content was determined by drying the soap to a constant weight. The soap's initial "wet weight" was recorded, and then it was dried in an oven at 100–115°C. After cooling, the final "dry weight" was recorded. The moisture content was calculated as: % Moisture Content = (Initial Weight - Final Weight) / Final Weight × 100.

8. Results

The physicochemical properties of the soap, including color, odor, appearance, and pH, were evaluated. Additional parameters, such as foam height, foam retention, percentage free alkali, total fatty matter (TFM), moisture content, and alcohol-insoluble matter, were also measured. The results are presented in Table 1.

Sr. No.	Name of Test	Result
1	Colour	Dark Orange
2	Odour	Pleasant
3	Average Weight	65.23 gm
4	pH	11.26

Table no.1



Figure 1

9. Discussion

This study focused on formulating soap using ethanolic extracts of Ayurvedic varnya herbs. The resulting soap was a dry, stasolid with a consistent colour and pleasing appearance, producing foam without the addition of synthetic surfactants. With an estimated TFM of 76%, the soap qualifies as a Grade

10. Conclusion

The formulated herbal soap meets high commercial standards, with favorable results across all tested parameters. Therefore, it can be considered a standardized and promising natural alternative to commercial, chemical-based skin-whitening soaps.

11. References

1. Proksch E, Brandner JM, Jensen JM. The skin: An indispensable barrier. *Exp Dermatol* 2008;17:1063-72.
2. Maru AD, Lahoti SR. Formulation and evaluation of moisturizing cream containing sunflower wax. *Int J Pharm Pharm Sci* 2018;11:54-9.
3. Pushpa R, Mamta A, Sharma S. Phytochemical and antioxidant properties of various extracts of *Michelia champaca* leaves. *Int J Pharm Pharm Sci* 2019;11:5-614.
4. Oyedele AO, Akinkunmi EO, Fabiyi DD, Orafidiya LO. Physicochemical properties and antimicrobial activities of soap formulations containing *Senna alata* and *Eugenia uniflora* leaf preparations. *J Med Plant Res* 2017;11:778- 87.
5. Esimone C, Nworu C, Ekong U, Okereke B. Evaluation of the antiseptic properties of *Cassia alata*-based herbal soap. *Internet J Alternat Med* 2007;6:1-5.
6. Sharma K, Joshi N, Goyal C. Critical review of ayurvedic varnya herbs and their tyrosinase inhibition effect. *Anc Sci Life* 2015;35:18-25.
7. Pulok M, Rajarshi B, Akanksha S, Subhadip B, Sayan B, Chandra K. Validation of medicinal herbs for antityrosinase potential. *J Herb Med* 2018;14:1-16.
8. Hunt JA. A short history of soap. *Pharm J* 1999;263:985- 9.
9. Mukhopadhyay P. Cleansers and their role in various dermatological disorders. *Indian J Dermatol* 2011;56:2-6.
10. Nagat M, Barka E, Lawrence R, Saani M. Phytochemical screening, antioxidant and antibacterial activity of active compounds from *Hemidesmus indicus*. *Int J Curr PharmRes* 2016;8:24-7.
11. Manjulatha P. *Phytochemistry, Pharmacology and Therapeutics of Hemidesmus indicus (L.)*. Vol 3. New Delhi: Daya Publishing House 2014.
12. Uma C, Shruti S, Chandrasek SB, Bhanumathy M, Midhun T. Phytochemical evaluation and anti-arthritis activity of root of *Saussurea lappa*. *Pharmacologia* 2011;2:265-7.
13. Pandey MM, Rastogi S, Rawat AK. *Saussurea costus*: Botanical, chemical and pharmacological review of an ayurvedic medicinal plant. *J Ethnopharmacol* 2007;110:379-90.
14. Kamala A, Middha SK, Gopinath C, Sindhura HS, Karigar CS. *In vitro* antioxidant potentials of *Cyperus rotundus* L. Rhizome extracts and their phytochemical analysis. *Pharmacogn Mag* 2018;14:261-7.
15. Sivapalan SR. Medicinal uses and pharmacological activities of *Cyperus rotundus* Linn: A review. *Int J Sci Res* 2013;3:1-8.
16. Bernard P, Berthon JY. Resveratrol: An original mechanism on tyrosinase inhibition. *Int J Cosmet Sci* 2000;22:219-26.
17. Yi W, Cao R, Peng W, Wen H, Yan Q, Zhou B *et al*. Synthesis and biological evaluation of novel 4- hydroxybenzaldehyde derivatives as tyrosinase inhibitors. *Eur J Med Chem* 2010;45:639-46.
18. Kundu A, Mitra A. Evaluating tyrosinase (monophenolase) inhibitory activity from fragrant roots of *Hemidesmus indicus* for potent use in herbal products. *Ind Crops Prod* 2014;52:394-9.
19. Shetty TK, Satav JG, Nair CK. Radiation protection of DNA and membrane *in vitro* by extract of *Hemidesmus indicus*. *Phytother Res* 2005;19:387-90. Lee KT, Kim BJ, Kim JH, Heo MY, Kim HP. Biological screening of 100 plant extracts for cosmetic use (I): Inhibitory activities of tyrosinase and DOPA autooxidation. *Int J Cosmet Sci* 1997;19:291-8.
20. Ruckmani K, Krishnamoorthy R, Samuel S, Linda H, Kumari J. Formulation of herbal bath soap from *Vitex negundo* leaf extract. *J Chem Pharm Sci* 2014;2:974-2115.
21. 2115.
22. Afsar Z, Khanam S. Formulation and evaluation of poly herbal soap and hand sanitizer. *Int Res J Pharm* 2016;7:54-7. Kaur M, Dhawan P, Damor S, Arora D, Soni IP.
23. Investigating and exploiting the antibacterial potential of clove (*Eugenia caryophyllum*) extracts while utilizing it to the maximum to develop liquid soap against drug resistant bacteria causing skin diseases. *Int J Pharm Biol Arch* 2014;5:110-5.
24. Wijetunge WM, Perera BG. Preparation of liquid medicinal soap products using *Adhatoda vasica* (*Adhatoda*) leaf extracts. *Int J Multidiscip S d* 2015;2:73-81.