



SYSTEMATIC REVIEW OF BAY LEAF ANTI- INFLAMMATORY & RHEUMATOID ARTHRITIS ACTIVITIES

1) Sominath A Badak, 2) Dr. D K Vir ,3) Yogesh K Dheple, 4) Mahesh G farkade, 5) Mayur K Jadhav,
1) Student, 2) Principal (Guide) 3) Student, 4) Student, 5) Student.

DEPARTMENT OF PHARMACONGCY

Shree Goraksha College of Pharmacy and Research Center, Khamgaon

Abstract:

Inflammation is the body's defines response against foreign body irruption, towel injury, or both caused by microorganisms, mechanical trauma, chemical composites, and physical factors. Anti-inflammatory agents can be used to treat inflammation. Bay leaves are one illustration of a factory that can be used. Ethanol excerpt and water excerpt of a bay splint can Benanti-inflammatory because they contain flavonoids. objects the purpose of this review was to see how effective ethanol excerpt and waterless excerpt of bay splint were Asanti-inflammatory agents in mice. styles This study employs a methodical literature review approach, descriptive qualitative exploration, and library exploration. Results The most efficient cure was 150 mg/ kg BW at a 70 percent attention and at an 80 percent attention for ethanol excerpt of bay leaves, and 50 mg/ kg BW for the waterless excerpt of bay leaves. Yes, bay leaves are used in folk medicine for a variety of conditions, including diabetes, high cholesterol, and the common cold.

Keywords: Anti-inflammatory, Bay leaf, Food flavoring, *Laurus nobilis Rheumatoid arthritis*

Introduction:

Bay splint (*Laurus nobilis*) is an evergreen imperishable shrub in the ensign family (Lauraceous). It has been used for 1000 times and is an essential component in numerous traditional dishes. The rubric *Laurus* contains between 24,00 to 25,00 species, with numerous kinds set up in the Southern Mediterranean region, Eastern Asia's subtropics and tropics, South and North America, the Balkans, and Asia Minor. The high variability among species is largely due to query about the exact number of species. Variability is set up in the morphology, flower colour, growth niche, leaves, stems, and chemical composition.



Fig no 1 bay leaf

When ripe, the fruit becomes elliptical, black, and 10- 15 in fringe. These are ambrosial and sweet shops native to southern Europe that produce fixed and changeable oil painting oil as well as camphor. *Laurus nobilis* is an industrially important plant that is used in foods, drugs, and cosmetics. The dried leaves and essential oils are considerably used in the food sedulity to season meat, mists, and fish. Its antimicrobial and insecticidal parcels are another reason why the bay is used in the food sedulity as a food accretive. The fruits contain both changeable oils and fixed oils, which are primarily used in the product of cleanser. It has traditionally been used to treat dermatitis and rheumatism, as well as gastrointestinal issues analogous as flatulence, burp, crippled digestion, and epigastric bloating In Turkish folk medicine, the arid extract of bay flake is used for stomach- stitch treatment, as an anti- hemorrhoidal, antirheumatic, diuretic, and snakebite cure. It has recently been used to help migraines and treat diabetes One of the shops that can be used to lower cholesterol situations is bay leaves (*Syzygies polyanthus*) Secondary metabolites set up in bay leaves

❖ **Chemical Constituents of Bay Leaf:**

1. **Linalool**

Linalool is the name given to two enantiomers of a naturally being terpene alcohol set up in a variety of flowers and spice shops. Linalool is hydrogenated to produce hydro and tetra hydro linalool, which are more resistant to oxidants and may be set up in home cleaning products

2. **Geraniol**

Geraniol is both a monoterpenoid and an alcoholic conflation. With a rose-suchlike scent, it is generally used in scents.

3. **Terpineol**

Terpineol, also known as birth- terminal, is a naturally being terpene alcohol that is set up in various essential oils, including pine, campus, and eucalyptus. It has been set up to cortège a range of medicinal exertion,

4. **Lauric Acid,**

completely dodecanoic acid, is a saturated adipose acid with a 12- carbon grain chain, thus having multitudinous parcels of medium chain adipose acids. Nonentity- repellent andante- bacterial parcels are handed by the Laurie acid set up in bay ensign leaves

5. **Phellandrene**

Phellandrene is a naturally being organic conflation that can be set up in various essential oils, analogous as eucalyptus, ginger, and cumin. It is a bicyclic monoterpene with two isomers birth- phellandrene and beta- phellandrene. Both isomers have been studied for their medicinal parcels

6. **A and β- pinenes**

Pinene is an unsaturated bicyclic monoterpene family. Pinene has two geometric isomers in nature α- pinene and β- pinene. These mixes have been studied for their medicinal parcels,

7. **Methyl Eugenol**

Methyl eugenol is a natural organic emulsion that belongs to the phenylpropene class of chemicals. Its chemical formula is $C_{11}H_{14}O_2$, and its methodical name is- 2-(- trimethoxy phenyl) pent-1-one. Methyl eugenol is generally set up in essential canvases of colourful shops similar as basil, bay leaves, cinnamon, and nutmeg. It's also used as a flavouring agent in food products and as an attractant for fruit canvases, which makes it an important element of numerous nonentity traps used in husbandry.

8. **Sesquiterpenes**

Sesquiterpenes are a family of chemical notes present in numerous shops that have been demonstrated to have a variety of remedial parcels. Sesquiterpene lactones were detected in the roots and leaves of Bay trees, and two unique chemical kinds with Lauren obolids and castanoside as significant ingredients were discovered (28,30). Sesquiterpene lactones contained in bay splint have been reported to have a number of pharmacological conditionings

9. **Terpenes**

Terpenes or terpenoids are the most varied order of composites set up in shops and may be divided as mono, di, tri, tetra, and sesquiterpenes grounded on the number of isoprene units. They're generally set up in shops and are the main element of essential canvases deduced from shops. Common factory terpene sources include tea, cannabis, thyme, citrus fruits, and Spanish savant. Terpenes serve multitudinous places in shops, including signalling, colours, detergents, taste, and remedial uses. Terpenes have anticancer, antibacterial, antiviral, antifungal, analgesic, antihyperglycemic, antiparasitic, andanti- seditious conditioning. They're also used to increase skin penetration and help seditious conditions

10. Eucalyptol

Eucalyptol, also known as 1,8- cineole, is a natural organic emulsion that's set up in the essential canvases of numerous shops, particularly in eucalyptus, hence its name. Eucalyptol has been studied for its colourful medicinal parcels, some of which include-inflammatory, Analgesic, Antimicrobial, Expectorant and Neuroprotective. Eucalyptol also exhibits insecticidal and nonentity repellent parcels

❖ Pharmacological activities

➤ Anti-inflammatory activities

In mice and rats, the essential oil painting of *Laurus nobilis* Linn. was tested for analgesic and anti-inflammatory parcels. In tail-film and formalin tests, the essential oil painting had a significant analgesic effect, a cure-dependent- seditious effect in formalin-convincing oedema, and a moderate opiate effect attain- seditious boluses. The essential oil painting's analgesic and anti-inflammatory effect was similar to that of reference aesthetics and nonsteroid-inflammatory medicines similar as morphine and piroxicam. Ethanol and waterless excerpts attained from the leaves and seeds of *Laurus nobilis* were also tested for anti- seditious exertion in a carrageenan- convinced hind paw oedema model in mice without converting any gastric damage, with the ethanol excerpt showing prominent-inflammatory exertion-inflammatory agents of factory origin used in traditional drug are important. The attributed-inflammatory goods of these shops are due to their capability to restore the function of Akins by causing a drop in cell intercessors. Hence, treatment with herbal medicines has an effect on guarding prostaglandin conflation and smoothing inflammation and analgesic situations




Fig no 2 Anti-inflammatory studies

➤ Antioxidant activities

The antioxidant parcels of lyophilized waterless and ethanol excerpts of *Laurus nobilis* were delved . To determine the total antioxidant capacity of both excerpts, the antioxidant exertion, reducing power, free radical scavenging, superoxide anion radical scavenging, hydrogen peroxide scavenging, and essence chelating conditioning were estimated. In a linoleic acid conflation, both excerpts demonstrated significant total antioxidant exertion

➤ Antimutagenic activities

The antimutagen was insulated chromatographically from a bay splint ethyl acetate excerpt and linked instrumentally as 3kaempferol p coumarate. The yield was 20 mg from 100g of bay, and the IC₅₀ value, which is the quantum needed to inhibit the mutagenicity of 20 mg of TrpP2 by 50, was 1.9 g. This value is similar to that of strong antimutagens like flavones and flavanols

➤ Antimicrobial activities

In vitro antibacterial exertion was indicated by *L. nobilis* essential oil painting, methanolic excerpt of seed oil painting, and seed oil painting. still, the methanolic excerpt of seed oil painting outperforms both essential oil painting and seed oil painting in terms of antibacterial exertion. also, the antibacterial exertion of *L. nobilis* essential oil painting against *Staphylococcus aureus*, *Bacillus subtilis*, and *Staphylococcus intermedius* was determined in another study. The essential oil painting of *L. nobilis* demonstrated good antibacterial exertion,

❖ **Treatments For Rheumatoid Arthritis:**

the general approach of treating RA is to help long term damage to the joints and reduce inflammation. pain operation is also important in the treatment of RA. The cornerstone is a drug remedy for RA in complaint modifying anti rheumatic medicines and newer class of drug called natural Physiology There's generally a detector similar as an infection or terrain factor, which activates the genes. When the body is exposed to this detector the vulnerable system responds erroneously. rather of guarding the joints the vulnerable system begins to produce substances that attack the joints. The leads to the development of rheumatoid arthritis.(7) The normal common filling is veritably thin and it has veritably many blood vessels in it but in the rheumatoid arthritis joints lining in it but in the rheumatoid arthritis joints lining is veritably thick and crowded with the white blood cells.




Fig NO 2. treatment for rheumatoid arthritis

❖ **Health benefits**

Bay leaves, and bay splint tea is rich in potassium, magnesium, and vitamins B6, B9 and C. It contains diuretic, antifungal, anti-rheumatic, anti-inflammatory, digestive, goad, antioxidant, and expectorant parcels, making it salutory for the treatment of numerous health conditions.:

1. Providing antimicrobial action




Fig no 03. Antimicrobial action

Antimicrobial Activities has been demonstrated in vitro for several condiment and spice excerpts and essential canvases from thyme, oregano, parsley, cilantro, and cinnamon. Growth of several bacteria strains has been shown to be inhibited by colorful attention of these culinary condiment and spice excerpts in the culture medium

2. Managing of type 2 diabetes :



Fig no 04. Types 2 diabetes

Bay leaves improve the function of insulin, which is the hormone responsible for bringing glucose into the cells. Bay leaves can help to regulate blood sugars, which is important for the prevention and management of diabetes.

3. Regulating cholesterol levels

Bay splint excerpts, like eucalyptol and polyphenols with antioxidant action, can help to regulate cholesterol situations in the blood. Bay leaves can help to help cardiovascular conditions, like atherosclerosis, myocardial infarct or stroke

4. Relieving gastrointestinal problems




Fig no05. relive gastrointestinal problem

Bay leaves contain antioxidant, anti-inflammatory parcels that can help to treat digestive diseases and relieve gas. Bay leaves also contain tanins, which have an important tany action that's salutary for treating diarrhea. The active composites in bay leaves help to increase gastric enzyme and mucus stashing, which helps to ameliorate digestion and cover against stomach injuries

5. Managing pain

Bay leaves have anti-inflammatory parcels to help relieve rheumatic pain and common inflammation, as well as arthritis, sprains and bruises.

6. Preventing tumor growth

The active substances and essential oils in bay leaves contain antioxidant and anticarcinogenic properties that help to prevent the growth of tumor cells.

7. Relieving respiratory symptoms:



Fig no 06. relive respiratory symptoms

Bay leaves have an expectorant that can help to exclude accumulated mucus and mucus in the respiratory tract. This can help to relieve traffic and make breathing easier, especially in cases of a cold wave, flu and bronchitis. Because bay leaves have antibacterial and antiseptic parcels, it's also helpful for barring and guarding against bacteria and contagions that can beget respiratory infection.

8. Preventing kidney stones



Fig no 07. Kidney stone prevention

Bay splint excerpt, together with other medicinal sauces, can help to help order monuments. It's suitable to drop the quantum of urease, which is an enzyme associated with an increased threat for order gravestone product. further studies are demanded to confirm this effect, still.

9. Boosting cognitive ability

Bay leaves contain antioxidant parcels that can help to ameliorate memory and reduce other cognitive problems from aging, like neurodegenerative diseases.

10. Promoting relaxation

bay leaves in hot water for five twinkles, and you have a mug of tranquility. This is a great way to melt down stress and invite relaxation before bedtime or in the midst of a chaotic day.

❖ Conclusion :

The involvement of spices in the diet has been largely regarded for colourful health benefits, particularly in the Mediterranean diet, which affects the life quality in IBD cases. There's a serious lack of global recognition of bay leaves main constituents and gut microbiota relations, especially between UC conditions. From this study, it's concluded that 3 bay leaves supplemented diet showed a significant positive health effect on the body weight and colon to the body weight. In terms of the gut microbiome, a 3 bay leaves diet in UC models increases the population of Bifidobacteria and Lactobacillus

IJNRD
Research Through Innovation

❖ **REFERENCE:**

1. Batool S., Khera R. A., Hanif M. A., & Ayub M. A., "Bay Leaf. In Medicinal Plants of South Asia": Novel Sources for Drug Discovery; (2020) page- 63–74.
2. Chahal K. K., Kaur M., Bhardwaj U., Singla N., and Kaur A., "A review on chemistry and biological activities of *Laurus nobilis* L. essential oil." *Journal of pharmacognosy and phytochemistry*, Vol. 6; (2017) page-1153-1161.
3. Patrakar R., Mansuriya M. and Patil P., "Phytochemical and Pharmacological Review on *Laurus Nobilis*." *INTERNATIONAL JOURNAL OF PHARMACEUTICAL AND CHEMICAL SCIENCES*, Vol. 1; (2012) page-595-602.
4. Hartanti L., Yonas M. K., S., Mustamu J. J., Wijaya S., Setiawan H. K., & Soegianto L., "Influence of extraction methods of bay leaves (*Syzygium polyanthus*) on antioxidant and HMG CoA Reductase inhibitory activity." *Heliyon*, (2019) page- 1-15.
5. Zekovic Z. P., Lepojevic Z. D., Mujic I. O., "Laurel Extracts Obtained by Steam Distillation, Supercritical Fluid, and Solvent Extraction." *Journal of Natural Products*, Vol. 2; (2009) page- 104-109.
6. Kaurinovic B., Popovic M., and Vlasisavljevic S., "In Vitro and in Vivo Effects of *Laurus nobilis* L. Leaf Extracts" *Molecules*: Vol. 15 (2010) page-3378-3390.
7. Patil A., Patil R., Et. al., "PHARMACOLOGICAL ACTIVITY OF BAY LEAVE" *TIJER - INTERNATIONAL RESEARCH JOURNAL*: Vol. 10 (2023) page-84-90.
8. Nayak S, Nalabothu P, Sandiford S, Bhogadi V, Adogwa A. Evaluation of wound healing activity of *Allamanda cathartica*. L. and *Laurus nobilis*. L. extracts on rats. *Complementary and Alternative Medicine*. 2006; 6: 12.
9. Elmastas M, Gulcin I, Isildak O, Kufrevioglu OI, Ibaoglu K, Aboul-Enein HY. Radical Scavenging Activity and Antioxidant Capacity of Bay Leaf Extracts. *Journal of the Iranian Chemical Society*. 2006;3(3): 258-266.
10. Sayyah M, Valizadeh J, Kamalinejad M. Anticonvulsant activity of the leaf essential oil of *Laurus nobilis* against pentylenetetrazole- and maximal electroshock-induced seizures. *Phytomedicine*. 2002; 9: 212–216.

