



## **NEW, Altered But Perfect Method- 50 Millesimal Scale**

**"50 MILLESIMAL SCALE IS DR. HAHNEMANN'S HIDDEN TREASURE WHICH IS BURIED NOT DEEP BUT OVERLOOKED BY MANY TILL NOW."**

**Dr. Arati Mahantesh Patil**

**Associate Professor**

**Dr.J.J Magdum Homoeopathic Medical College,Jaysingpur 416101**

### **ABSTRACT**

Hahnemann's experiments, right from the cinchona test to his discovery of the unfolding of the pharmacodynamic properties of drug substances, brought about by a systemic process of drug potentization, were directed towards his goal, "Highest Ideal Cure".

Dr. Hahnemann worked hard and on the eve of his death given us "new, altered but perfect method", In 6th Edition of the Organon.

But it is quite unfortunate that this potency has failed to catch the attention of most of the fellow professionals because of it being featured in the sixth edition of 'Organon of Medicine' published after Dr. Hahnemann's death. The controversy or doubt brooding over the sixth edition of Organon of Medicine may not be confused with the efficacy of this potency as it is fraught with a heavy retardation of the progress of homoeopathy.

50 Millesimal potency was Hahnemann's last great gift to homoeopathy and it is necessary to go 'deep' into the use of the 50 Millesimal potencies & put this scale in action in our practice for the benefit of suffering mankind speedily, safely and gently and propagation of the true healing art and it is the same purpose which inspire me to work on 50 Millesimal potency.

This is an attempt to explore and bring forward the hidden treasure of 50 Millesimal potency, its history, how it evolved and experiences of various authors. For this, books, journals and available literatures were reviewed exhaustively.

### **KEY-WORDS**

Potency, scale, Aggravation, 50 Millesimal, Centesimal, Homoeopathy.

### **INTRODUCTION**

Hahnemann says "When we have to do with an art whose end is the saving of human life any neglect to make ourselves master of it becomes a crime."

The highest ideal of cure is rapid, gentle & permanent restoration of the health or removal and annihilation of the disease in its whole extent, in the shortest, most reliable & most harmless way, on easily comprehensible principles."

This conditions of 'Ideal of cure' could not be materialized with that centesimal potency so Dr. Hahnemann worked hard and on the eve of his death given us " new, altered but perfect method", In 6th Edition of the Organon.

This discovery of " new altered but perfect method", justified by his experience, is a natural outcome of his sincere effort.

Not only did Hahnemann discover a new system of drug- therapy, but as he was born research- worker he never ceased to make experiments in dosage with reference to potentization with varying no. of successions and repetition of doses in order to bring his therapeutic art as near to perfection as possible.

In his eighty- sixth year Hahnemann while in active practice at paris, completed a thorough revision of Organon by carefully going over paragraph by paragraph, making changes, erasures, annotations & additions. In paris he had to deal with a large number of patients with unusually nervous excitability and noted troublesome medicinal aggravations even after using the 30th centesimal dilutions prepared as per his instructions laid down in the fifth edition of Organon.

This led him to a process of further minimizing the material quantity of drugs to start with & using 100succussions for each potency preparation. These " Fifty Millesimal potencies" are based on the principle enunciated by Hahnemann in his sixth edition of Organon of Medicine.

Hahnemann's latest idea was to minimize the material quantity of drugs for averting avoidable medicinal aggravations and at the same time making it possible to repeat the doses of medicine to expedite cure (esp. in chronic cases) as well as to maintain the maximum degree of unfoldment of latent dynamic properties of drug.

Accordingly, he shook up with 100 drops of spirit of wine, not one drop of the tincture, but a globule saturated with the medicine & dissolved in a drop of diluted water. These globules are of such size and weight that a hundred of them weigh one grain & a five hundred of which are more or less saturated with one drop of medicine of previous potency. Hence 1/500th of a drop instead of one full drop was used. The material part of the medicine was decreased by 50,000 times ( $1/500 \times 1/100 = 1/50,000$ ) for each degree of dynamization& yet the curative powers of the medicines were increased tremendously. Potencies prepared in this way were described by Hahnemann "Medicamens au globule" as distinct from "Medicamens a la goutte" prepared according to centesimal scale.

Dr. Hahnemann engaged himself in a series of experiments to arrive at an effective and efficacious potency in preference to the centesimal one for which he devoted the rest of his life from 1833 to 1843 and at last, the 50 Millesimal potency dawned on Hahnemann enabling him to proclaim it as his Eureka' moment in the sixth edition of his Organon.

Hahnemann wrote in letter to his publisher " I have now, after eighteen months of work, finished the sixth edition of my Organon, the most nearly perfect of all

Dr. Hahnemann in his sixth edition says that "What I said in the fifth edition of the Organon, in a long note to this paragraph in order to prevent these undesirable reactions of the vital energy, was all that the experience I then had justified. But during the last four or five years, however all these difficulties are wholly solved by my new altered but perfect method".

The last and 6th edition of the Organon is gradually becoming more popular and is increasingly more read by homoeopaths all the world over. But the 50 Millesimal potency i.e. the potency in the 50,000th scale, as distinct from the centesimal and advocated by Hahnemann in Sec.270 of the same edition of the Organon, has never been used in India & nowhere extensively in any part of the globe, and is rarely available from the pharmacists all the world over. Since the publication of French translation of the sixth edition of Organon by Dr. Pierre Schmidt of Grneva and his articles in British Homoeopathic Journal, July- October 1954: " The Hidden Tresures of the last Organon", attention of homoeopaths was drawn to these changes. Potencies prepared were termed by Dr. Pierre Schmidt as " Fifty Millesimal potencies"

Dr. Flurry from Switzerland had noticed, that in paragraph 246 to 248 and 270 to 272 there is something new than the fifth edition. He was the first doctor after Hahnemann to produce medicines in 50 Millesimal potencies.

But it is quite unfortunate that this potency has failed to catch the attention of most of the fellow professionals because of it being featured in the sixth edition of 'Organon of Medicine' published after Dr. Hahnemann's death. The controversy or doubt brooding over the sixth edition of Organon of Medicine may not be confused with the efficacy of this potency as it is fraught with a heavy retardation of the progress of homoeopathy.

50 Millesimal potency was Hahnemann's last great gift to homoeopathy and it is necessary to go 'deep' into the use of the 50 Millesimal potencies & put this scale in action in our practice for the benefit of suffering mankind speedily, safely and gently and propagation of the true healing art and it is the same purpose which inspire me to work on 50 Millesimal potency & prove its efficacy

## Evolution of 50 millesimal scale of potencies

Hahnemann was not completely satisfied with the medicinal solutions of centesimal potencies, especially in weak sensitive constitutions with chronic miasmatic diseases. He found in certain cases that the 1. lower potencies were not able to stimulate a healing reaction; 2. Yet at the same time, the higher potencies caused serious aggravations. He wondered if it was possible to make homoeopathic remedies that acted deeply, yet at the same time were gentler on the constitution. Even though the medicinal solution had greatly improved the centesimal system he wondered how he could overcome aggravations in those cases that were weak, over sensitive, and at the present time incurable. Surely the answer to these questions not in raising the dynamization to even higher ranges of potency."

By that time potencies prepared by Jenichen and other followers were reaching levels far beyond IM, and in Hahnemann's experience, they were not suitable in weak cases with advanced tissue pathology because of the serious life-threatening aggravations they could cause. Hahnemann's greatest desire was to cure these degenerative chronic cases as they proved to be the most resistant to his treatment.

His next experiment was to dissolve three, two, or one globule in a glass of water, and then carefully stirring, to put a dessert or teaspoonful of this into another glass. He still found, however, that in very delicate constitutions, excitement was produced. The attenuation was sometimes carried through two, three, four, five, and six tumblers; but it was a very inconvenient proceeding. He tried, in its order, the diminution of the number of shakes, but that seemed not to give the accurate result that he wanted."

(He tried many plans and made many experiments. At last, in the sixth edition of his Organon which was developed in the last years of his life (1833-1842) he advocates a new scale of potencies which is known as the 50 millesimal scale of potencies. The 6th edition, by Dr. Hahnemann, the last one, was revised in 1842, one year before his death in 1843, but the manuscript was misplaced and not translated and published in English until 1921.

He writes, "According to first directions, one drop of the liquid of a lower potency was to be taken to 100 drops alcohol for higher potentization. This proportion of the medicine of attenuation to the medicine that is to be dynamized (100:1) was found altogether too limited to develop thoroughly and to a high degree the power of the medicine by means of a number of such successions without specially using great force of which wearisome experiments have convinced me. But if only one such globule be taken, of which 100 weigh one grain, and dynamic it with 100 drops of alcohol, the proportion of 1 to 50,000 and even greater will be had, for 500 such globules can hardly absorb one drop, for their saturation. With this disproportionate higher ratio between medicine and diluting medium many successive strokes of the vial filled two thirds with alcohol can produce much greater development of power. But with so small diluting medium as 100 to 1 of the medicine, if many successions by means of a powerful machine are forced into it, medicines are then developed which, especially in the higher degree of dynamization, act almost immediately, but with furious, even dangerous, violence, especially in weakly patients, without having a lasting, mild reaction on the vital principle. But the method described by me, on the contrary, produces medicines of highest development of power and mildest action, which however, if well chosen, touches all suffering parts curatively. In acute fevers, the small doses of the lowest dynamization degrees of these thus perfected medicinal preparations, even of medicines of long continued action (for instance, Belladonna) may be repeated at short intervals. In the treatment of chronic diseases, it is best to begin with the lowest degrees of dynamization and when necessary, advance to higher even more powerful but mildly acting degrees." (14)

He made several experiments between 1833 and 1842 in modifying and preparing a series of new scale of potencies in order to achieve his objective. There were three alternatives which could be considered for the modifications and preparations of the new series of potencies on which he was to experiment.

They were: -

1. The quantity of the medicine for the preparation of the new series of potencies.
2. The ratio of the dilutant to the medicine.
3. The number of successions to be given in each scale of potencies.

These modifications were considered on the basis of his finding that:-

1. The less the material quantity of the drug, lesser are the chances of medicinal aggravation;
2. The more potentized a remedy is, the more it acts permanently and rapidly;
3. The more a medicine is diluted, less is its duration of action, action is milder and hence repetition could be done without harm.

Hence the solution was-

1. To widen the gap between the medicinal substance and the diluting medium, incredibly reducing the medicinal quantity to obviate any furious potency exaggeration.
2. 100 succussions, to develop the powers of medicine to the desired extent, for a most rapid and long lasting penetration. After many trials and some tribulation in the years between 1837 and 1838

Hahnemann discovered the 1/50,000 dilution rate and created the new potency system. Hahnemann began to do clinical experiments with raising the dilution ratio of his dynamizations instead of raising the potency because he felt that homoeopathy had already developed the methodology of the centesimal potency as far as it was possible to go.

Thus, we see how the evolution of potencies occurred on the basis of these findings.)

## The Ultimate Attenuation"

### THE LM POTENCY

Hahnemann had apparently gone as far as he wanted to with the centesimal potencies by this time. The now routine dilution of the remedies into one, two or three glasses and his frequent use of olfaction show that one of his main concerns in prescribing was to give as diluted a dose as possible. In fact, in his published work, he frequently wrote of dilutions and attenuations rather than of dynamisations or potentisations. In the 1840s he was looking for a way to attenuate his remedies even more.

He therefore set about developing a new system of dilution and succussion which would enable him to produce very highly attenuated remedies without the violent succussion and the accompanying danger of aggravation of symptoms. Eventually he evolved a method and produced a new scale of potency which he called the LM potency. He regarded this as altogether gentler in its approach than the centesimal potencies, largely because it was subject to far more dilution: 1: 50,000 rather than 1: 100. He also seems to have regarded remedies prepared on the LM scale as being more highly potentised or dynamised than those prepared on the centesimal scale.

He seems to have begun to use the LM potency practice towards the end of He in his 1840. His first use of it appears to have been while treating the musician M. Rousselot, who had been ill for three years, suffering from severe attacks of 'vertigo' during which he could not speak, could see only stars, could hear voices speaking but could not understand them. He was also beginning to go deaf. M. Rousselot had first consulted the Hahnemanns in October 1837 and had been treated with a range of remedies in the centesimal potency. On December 16th 1840 he was given one globule of Sulphur LM 10 (./10/0) dispensed from one glass of water, thus becoming the first person to receive the new LM potency.

As Hahnemann describes the process in the Organon, and as he talks of its implications, his excitement is transmitted to the reader. He had finally released spirit from matter, or energy from mass, as we would now say, achieved the transmutation which had been the goal of alchemists and chemists for thousands of years: The medical substance that seems to us in its crude state to be only matter, sometimes even non-medical matter, is at last completely transformed and refined by these progressive dynamisations to become a spirit-like medicinal force. This spirit-like medicinal force by itself is no longer perceptible to the senses, but the medicated globule acts as its carrier and demonstrates its curative power in the sick organism'.

It is clear from the casebooks that the LM potency emerged from Hahnemann's practice merely as the logical extension of his quest for the perfectly attenuated medicine, the medicine which would act as gently, as permanently, as quickly and as harmlessly as possible to cure the patient.

## Mode of administration

The most important aspect of this revised method is the medicinal solution and the methods of adjusting the size of the dose. Many people think that Hahnemann used the centesimal potencies in powder form and the LM potency in medicinal solution. This is not correct. The master used both the centesimal potency and LM potency in medicinal solution from 1840-1843.

Hahnemann noted clearly that too large a dose (too many pills) would cause an aggravation even if the potency was correct. To overcome these side-effects Hahnemann used the medicinal solution of the 50 millesimal potency.

Preparation of medicinal solution according to DR.HAHNEMANN The medicinal solution of 50 Millesimal potency is made by taking one poppy seed sized globule in 40,30,20,15, or 8 tablespoonfuls of water with the addition of some alcohol or a piece of charcoal in order to preserve it. If charcoal is used, it is suspended by means of a thread in the vial and is taken out when the vial is succussed. The solution of the medicinal globule (and it is rarely necessary to use more than one globule) of a thoroughly potentized medicine in a large quantity of water can be obviated by making a solution in only 7-8 tablespoonfuls of water and this solution is then potentized with perhaps eight, ten or twelve succussions. From this solution, one tablespoonful is taken into a glass with seven to eight spoonfuls of water and stirred thoroughly and from this solution one teaspoonful or more doses can be given to the patient. If he is unusually excited and sensitive, a teaspoonful of this solution may be put in a second glass of water, thoroughly stirred and teaspoonful doses or more be given. There are patients who are so sensitive that a third or fourth glass, similarly prepared, may be necessary. Each such prepared glass must be made fresh daily. The globule of the high potency is best crushed in a few grains of sugar of milk which the patient can put in the vial and be dissolved in the requisite quantity of water.

## ROUTE OF ADMINISTRATION"

The remedy solution may introduced other than just the oral tract. This is more difficult by the old method that exclusively uses dry pills as they are usually placed in the mouth. At times alternative methods of applying the dose may be more suitable or used in conjunction with the oral dose to speed the cure. These methods may also be of use if the remedy can not be given orally due to the nature of an injury or unconsciousness on the part of the patient.

According to § 284, 6th edition of Organon of Medicine, 14

"Beside the tongue, mouth and stomach, which are most commonly affected by the administration of medicine, the nose and respiratory organs are receptive of the action of medicines in fluid form by means of olfaction and inhalation through the mouth. But the whole remaining skin of the body clothed with epidermis, is adapted to the action of medicinal solutions, especially if the injunctum is connected with simultaneous internal administration".

Those who are somewhat hyper sensitive may do better on a dose given by olfaction. The preparation and administration the olfactory dose can be summarized in four steps.

1. Take one pill and place it into a one drachm vial.
2. Drop one drop of water to dissolve the pill. Then fill the small vial with alcohol leaving one third of the vial empty so that there is sufficient air gap left for succussions.
3. The vial is then succussed. The remedy should be succussed just prior to the ingestion of the remedy as with the medicinal solution.
4. The vial is then held under the nose and the vapours inhaled by the patient. One dose is given to assess the sensitivity of the individual and the remedy repeated,, if and when necessary.

Hahnemann used olfaction almost exclusively for several years but decided later that the oral medicinal solution was much more appropriate median dose.

He also mentions the use of the medicinal solution directly on the healthy areas of the skin, while at the same time, taking the oral solution to speed the cure of a slow moving chronic disease. There is also a discussion of giving the remedy to infants through the milk of the mother.)

The 50 Millesimal potency can also be administered in the following manner. Though Hahnemann has not expounded this manner but there have been a few other doctors who have testified the manner and proved it to be effective as well.  
12

\* Packet in water: One or two globules in two grains sugar of milk, dissolved in one ounce to be taken in the morning and half in the evening

\*Liquid: One or two globules are dissolved in one ounce of water. Few drops of alcohol are added to this. Tea spoonful doses or ten drops of this solution can be given as a dose.

\*Packet: Containing one to two globules dissolved in half ounce water as one dose.

\* Procedure for treatment according to DR. CHARLES PAHUD<sup>11</sup> Take one globule of the chosen dilution and add it to 100 gms. of 30%

alcohol. give the bottle to the patient and instruct him to take 5 to 8 drops each morning on waking, in a little water. The patient has to shake the bottle 10 to 20 times in the following manner. Hold the bottle in the right hand and beat this closed fist against the open palm of the left hand. "It is necessary", Hahnemann said that each dose should be a different potency.

\* PHARMACOPRAXY, i. e. the preparation of remedies( \$264to 272) according to DR. PIERRE SCHMIDT 26

I had even applied it... and it had been a dead failure. since then, none of our papers has ever mentioned it. It showed, however, how important it was to have the Organon had in fact, already read years ago in the B.H.J., an article on the " plus method". I translated, as no one had ever applied the method in the proper way. Even today, I occasionally read in homoeopathic journals about cures effected by 50 Millesimals in globules. This is positive proof that the prescribers of such doses have not understood the new method at all, as the remedies ought to be administered in liquid form only(\$271)

In practice, the patient is given a capsule containing a single poppy seed- size globule crushed in a little sugar of milk. he is instructed to let it dissolve only before taking it. After putting it into a bottle with about 100 grammes of clean and slightly alcoholised water and vigorously shaking it ten times, he is then to take about a coffespoonful morning and night, in the case of chronic illness, or more frequently in acute conditions, care being taken that the bottle is previously shaken ten times on each occasion. eight to ten doses, thus potentized, having been taken, a fresh unused bottle is provided and the remedy is administered again at a higher rate of dynmamization, duly shaken ten times before being taken.

## Selection of the potency 22

General rules to be followed

The susceptibility of the patient:

- a. Similar symptoms: High
- b. Age: Children - high, senile-low
- c. Temperament: Intellectual- high, nervous- high, irritable- high, Backward- low, Fearful- low.
- d. Habits: Drinking, smoking, food- low
- e. Drugs - crude: High potency of the same drug- Tautopathic way
- g. Oversensitive: Low
- f. Reaction in pathological condition: Low
- The seat of the disease:
  - a. Acute and rapid: Low
  - b. Pathological (Organs): Low
  - c. Sluggish reaction: High
  - d. Mental symptoms; Medium & High
  - e. Physiological disturbances: Low & Medium.

#### Stage and duration of the disease

- a. Low vital reaction; Low
- C. Of long duration- depending on pathology- Low, medium
- b. Terminal cases: Low
- d. Active vitality: High
- e. Acute conditions: Medium

#### Nature of the Disease or Magnitude of the Disease

- a. Rapid, low vitality: Low and repetition
- b. A chronic: High and infrequent repetition.

#### Previous treatment by drugs:

High potency of the same drug if it was given crude or antidote or give indicated medicine.  
will the

#### For palliation:

- a. Terminal cases- low
- b. Pathological conditions- terminal- low
- c. Incurable cases-low

### **Repetition of the Dose or Pharmacopollaxy 26**

The paragraphs contained in the Organon on this subject are the outcome of numerous experiments repeated in the course of Hahnemann's professional activity, that is, over 50 years practical experience.

In § 246, he repeats the statement included in the five earlier editions, namely, that:<sup>14</sup> " Any clearly defined improvement showing obvious progress is a state in which as long as it lasts the repeated administration of any medicine whatsoever is to be strictly forbidden, as the remedy previously taken by the patient is still producing its beneficial effect and" Hahnemann adds " this is no rare occurrence in acute disorders"

The words "this is no rare occurrence....", however, remind one that, though this is fairly frequent, there are a good many cases in which no progress is detected and where it will be necessary to repeat.

In acute diseases, medicine is to be given every two to six hours. In very urgent cases every hour or oftener.(\$248)

Hahnemann goes on to say:

"On the other hand, in chronic disorders which have not reached an advanced stage" - mark the words "not reached an advanced stage"! " the improvement may last from 40 to 60 even 100 days. This is, however, very rare and, besides, it is

important for both physician and patient to reduce the period in order to effect a speedier cure.

This may be achieved provided the following conditions are observed:

The choiser of the remedy shall be strictly determined in accordance with the law of similars.

It shall be administered in an infinitesimal potency.

After being extensively diluted & highly dynamized.

Absorbed dissolved in water.

Administered in general in very small quantities (one coffee spoonful).

Repeated at intervals which experience has proved suitable to effect as speedy a cure as possible.

- Taking great care, however, in repeating, to vary the degree of potency so that each dose should differ slightly from those preceding and following.

In chronic diseases where the treatment has proved effective, the remedy, in order to speed up the cure, may be given daily or every second day and for months, if necessary.)

In fact, after the first dose of a medicine which has proved efficacious, the patient will be a little less ill. The second dose must consequently be adapted to a less morbid condition, or rather to disease in a more dynamized stage. The patient has been saturated in the first stage, thanks to a remedy in a suitable dose. Consequently Hahnemann recommends giving the same remedy, but more highly dynamized, the disease having been partially subdued under its influence. The remedy is thus to be administered in varying forms as the cure proceeds, so as to be constantly adapted to the disease.

Starting potency 12

Treatment of both acute and chronic cases should be started from the lowest degrees of dynamization.and advance is made in the same way to the higher degrees.

PHARMACOPOLLAXY MUST BE ASCENDANT:26

For the first time in his professional life, Hahnemann lays stress upon the importance of increasing the rate of potency in repeating the dose of a remedy. This had not yet been mentioned in former editions. It is contained in the foot note of \$ 246 as well as in \$\$248, 270f, 280& 281, and worded as follows: "The remedy is to be administered at a low rate of potency, proceeding according to the technique and, after exhaustion of the solution, repeating at a higher rate of power"

## Aggravation at the End of the Treatment

"But where medicines of long action have to combat a malady of considerable or of very long standing, where no such apparent increase of original disease ought to appear during treatment and it does not so appear if the accurately chosen remedy was given in proper small, gradually higher doses, each somewhat modified with renewed dynamization( \$247).

Such increase of the original symptoms of chronic disease can appear only at the end of treatment when the cure is almost or quite finished.(\$161).

During almost daily repetition of the well indicated homoeopathic remedy, towards the end of the treatment of a chronic disease, so called homoeopathic aggravation by which the balance of the morbid symptoms seem to again increase somewhat (the medicinal disease, similar to the original, now alone persistently manifests itself).

The dose in that case must then be reduced still further and repeated in longer intervals and possibly stopped several days, in order to see if the convalescence need no further medicinal aid. The apparent symptoms caused by the excess of the homoeopathic medicine will soon disappear and leave undisturbed health in its wake(\$248

## Advantages:

Minimum chances of homoeopathic aggravation. 12

Speed up cure in chronic diseases.

Rapid and lasting action.necessary.Correctness of prescription can be quickly judged. Can be frequently repeated if The same constitutional medicine can be curative as well as palliative.

The most gentle & flexible of all the ways of doing homaeopathy. 6820

They are the quickest according to Hahnemann. They are least amenable to antidoting.

They treat mental, emotional and physical problems.

They are best for treating chronic diseases, severe pathologies & Miasms, especially the active miasms with discharges and hyper allergic reactions.

They are good for treating sensitive people who prove all the remedies. One can adjust the dose easily to individualize the dosage for the patient.

- It also has the flexibility of being able to jump from chronic to acute and from chronic to first aid situations.

The LMs are the most classical according to the Organon.

- There is no jump' Treatment starts from LM1 and goes up to LM2, then25

LM3 and so forth. By succussing the bottle each day, the patient gradually raises the potency so that it is closer to the next bottle, making a very smooth progression of potencies.

If there is an aggravation with LM potencies, it will normally disappear a few hours to two days at the most after the remedy is stopped.

In apparently hopeless cases, LM potencies may not only palliate, but even sometimes cure them.

- It usually can be judged within two to four days whether or not the remedy has been selected correctly. After a single dose patient typically report a sense of well-being and improvement such as more energy or better sleep, whether or not their chief complaint has improved.

In mental illness, where even a low centesimal potency can aggravate, LMs cure smoothly.

In cases of longtime suppressions LMs work marvelously. Repeated applications revive suppressed symptoms.

It is not necessary for the patient to discontinue prescription medication. LM

potencies powerful enough to work through corticosteroids or other medication.

Patients are taught to observe their own symptoms and adjust their own dosage, which give them a much greater sense of participating in the healing process and leads to greater patient satisfaction.

A homoeopath can easily make LM2, LM3 and forth from LM1, so that he only needs to buy an LM1.

## Disadvantages

Not easily available.

- Quality is variable.

Not preferred when single dose is required.

Difficult to fix the repetition in cases from distance.

The Organon has recommended potencies from LM/1 to LM/30 only.

Medicines must administered in liquid form so to prevent the decomposition of water and rectified spirit.

23 Repeated administration of a partially indicated medicine may give relief on the chief complaints of the patients but the patient as a whole does not improve as the medicine dose does not cover the fundamental cause and the totality of symptoms.

## CONCLUSION

From above study we can conclude that the LM potency offers several advantages than centesimal potencies & it is more efficacious.

The LM potency materializes the highest ideal of rapid, gentle and permanent cure by controlling medicinal aggravation.

The aggravation can be reduced by administrring medicine in more dilute form, that is, from the first, second, third or fourth glass of medicinal solution. And when symptoms of the disease aggravate during this period even during the more moderate use of the medicine, then medicine should be stopped for one or two weeks & wait for considerable improvement.

It is effective both in acute and chronic cases ,All age group and in both Male and Female patients

50 Millesimal (LM) Potencies have great advantage for all patients, not just those who are hypersensitive because of their great power to heal without major aggravations.

That's Why Dr Hahnemann called it New, Altered But Perfect Method- 50 Millesimal Scale

## references

1. Boenninghausen - C. M. F. Von. The Lesser Writings p.74
2. Bradford, T. L. - The Life and Letters of Dr. Samuel Hahnemann
3. Goel Sumit - Fifty Millesimal Scale'- LM Potencies. – Internet
4. G. Satheesh,-, Evolution and understanding of 50 Millesimal potency- Similitude, july 2006 vol. 1 no.1,p no.8
5. Hael, R. Samuel Hahnemann His Life and Work.
6. Hahnemann Samuel Organon of Medicine, Translated by W. Boericke, 5th 7 6th edition.
7. Hahnemann Samuel The Chronic Diseases Their peculiar Nature and Their Homoeopathic Cure
8. Handley Rima- In Search OF the Later Hahnemann, Page no. 145&146