



“FORMULATION AND EVALUATION OF TOPICAL ANALGESIC CREAM”

Mr. Kuldeep M. Layber¹, Mr. Amol A. Chintawar²

Research and Scholar¹, Professor²

Ishwar Deshmukh Institute of Pharmacy, Digras, Yavatmal, Maharashtra, India^{1,2}

Abstract: The project "Formulation and Evaluation of Topical Analgesic Cream" aims to develop a cream for localized pain relief using active ingredients like NSAIDs, menthol, and camphor. The formulation process focuses on achieving optimal consistency, stability, and effective skin absorption. The cream is evaluated through in vitro tests, including stability, pH, and rheological assessments, ensuring long-term efficacy. In vivo clinical trials are conducted to assess the cream's analgesic effectiveness, potential skin irritation, and overall user satisfaction. The objective is to create a safe, effective, and user-friendly topical analgesic cream, providing a non-invasive alternative to oral pain medications with fewer systemic side effects. This innovative formulation is expected to significantly enhance pain management options.

Keywords: Topical analgesic cream, formulation, NSAIDs, menthol, camphor, stability, skin absorption, in vitro testing, in vivo testing, pain relief, clinical trials, non-invasive, systemic side effects, pain management

1. INTRODUCTION

An introduction to the design and evaluation of cosmetic products includes laying the foundation for the study by discussing the consequences and effects of pain and the need for effective treatment. This chapter explains the rationale for the development of topical creams and highlights their advantages over oral medications, such as targeted relief, reduction of side effects and increased patient compliance. The clear aim of this study is to create cosmetic with improved antibacterial effect and to evaluate its effectiveness and safety for long term use.

A comprehensive literature review is presented, summarizing current research on cosmetics and identifying gaps in knowledge or areas for improvement. Following the introduction, the formulation phase consists of selecting the right ingredients based on their antibacterial properties and skin compatibility, improving the adhesive throughout the design process, and defining its physical and chemical properties. The evaluation phase includes in vitro and in vivo studies to evaluate the effectiveness, safety and longterm effects of the cream through laboratory, animal or human studies and customer feedback. The decision summarizes the main points of the study, demonstrates the longterm local treatment potential of this drug, and suggests avenues for future research and medical use. Millions of people seek medical treatment for acute and chronic diseases. Traditionally, oral medications such as opioids and nonsteroidal antiinflammatory drugs (NSAIDs) have been the mainstay of treatment. However, these drugs often cause significant side effects that limit their longterm use and effectiveness. In recent years, topical medications have emerged as a promising method of pain management and provide many of the benefits of oral birth. In this comprehensive review, we will explore the mechanisms, benefits, uses, and future prospects of topical drugs in the treatment of pain. Unlike oral medications, which rely on the body's system for distribution, topical medications act directly at the site of application, reducing injury and reducing the risk of adverse events. This focus has many advantages over oral administration, including higher plasma levels, higher bioavailability, longer duration of action, and fewer side effects. One of their best aspects is that they can bypass firstpass metabolism, a process in which oral medications are metabolized by the liver before reaching the body. By avoiding this process, cosmetics can achieve higher bioavailability and effectiveness, making them particularly

Advantages: -

1. Purpose of relief: Topical ointment can be applied directly to the affected area to provide local relief. This method of focusing allows for precise administration, ensuring the medicine goes directly to where it is needed.
2. Reduces side effects in the body: Unlike oral medications, which must enter the bloodstream and travel throughout the body, topical medications work locally with minimal absorption power. This reduces the risk of side effects such as gastrointestinal or liver toxicity.
3. Convenience: Pain relief creams are easy to apply and can be used as needed throughout the day. They are over-the-counter medications that can be used at home without medical supervision.
4. Fastacting: Many cosmetics are fastacting and results are usually felt within minutes of application. This quick start makes them special in treating pain such as muscle or bone pain.
5. Longterm relief: Some topical creams can provide relief for several hours after application. This prolongation of effect may help patients better manage pain and reduce the need for re-surgery.
6. Versatility: Painkillers can be used to treat a variety of conditions, including muscle and joint pain, arthritis, neuropathic pain, and postsurgical pain. They come in different styles and strengths to suit the individual's needs.
7. Fewer drug interactions: Because topical medications are less absorbed by the body, they are less likely to interact with other medications than oral medications. This makes them safe for patients taking multiple medications.

Disadvantage: -

1. Skin irritation: Some people may experience skin irritation or allergy to the ingredients contained in painkillers. This may cause redness, itching, burning, or rash at the application site. Patients with sensitive skin or preexisting skin conditions may be particularly sensitive to this vaccine.
2. Deep penetration: Topical creams are used to relieve external pain such as muscle and joint pain. They have limited penetration into deeper tissues and are therefore less effective for pain caused by deeper structures or organs.
3. Variable Efficacy: The effectiveness of cosmetics may vary depending on factors such as specific formulation, type and severity of pain, and patient characteristics. Some patients may find that topical medications are no better than oral medications or other forms of treatment.
4. Potential for infection: Improper application or use of topical creams may cause infection, increasing the risk of infection or other side effects. Patients should be instructed to wash their hands thoroughly after using the cream and to avoid contact with mucous membranes or open wounds.
5. Limited duration: Although some cosmetics provide longterm treatment, others may require appropriate reapplication. This can be especially troubling for patients with chronic or chronic conditions that require ongoing symptom management.
6. Stains and residue: Some pain relievers can leave residue or stains on clothing or bedding that cannot be seen or damage the fabric. Patients should be advised to wait for the adhesive to dry before contact with clothing or other materials.
7. Cost: Topical pain relievers can be more expensive than oral medications, especially if they are not covered by insurance. This cost may limit access to these treatments for some patients, especially those on a budget.

2. MATERIALS AND EQUIPMENTS

2.1 TABLE 1: MATERIALS USED IN EXPERIMENTAL WORK

Sr.no	Ingredient	Used
1	Menthol	Provides a cooling sensation and helps alleviate pain by numbing the area.
2	Beeswax	cosmetics, and skincare products due to its natural properties like moisturizing and creating a protective barrier. It's also used in furniture polish, food preservation, and even in some art techniques like
3	Peppermint oil	Peppermint oil is commonly used for various purposes, including aromatherapy, easing digestion, reducing headaches, and relieving muscle pain. It's also used in some skincare and haircare products for its refreshing scent and potential benefits for the skin and scalp.
4	lidocaine	Local anaesthetics that numb the area and provide pain relief.
5	capsaicin	Derived from chili peppers, capsaicin desensitizes nerve receptors to reduce pain perception over time.

All other chemicals used were of analytical grades.

2.2 TABLE 2: EQUIPMENTS USED IN EXPERIMENTAL WORK

Sr. No	Equipment	Used
1	Mixing Equipment	This includes mixers, homogenizers, or blenders to ensure uniform distribution of ingredients.
2	Heating And Cooling Equipment	Heating mantles, hot plates, or water baths are used to melt and mix ingredients. Cooling equipment like refrigerators or cold plates may be needed for cooling phases.
3	Testing Equipment	his involves instruments to evaluate the characteristics of the cream, such as texture analysers, rheometers, and viscometers to assess viscosity, spread ability, and consistency.
4	Analytical Equipment	instruments like pH meters, spectrophotometers, and chromatographs can be used for analysing the chemical properties of ingredients and the final product.
5	Packaging Equipment	Equipment for filling and sealing containers, such as tubes or jars, may also be necessary.
6	Physical Characteristic	This includes appearance, colour, Odor, texture, viscosity, and spread ability.
7	Chemical Characteristic	pH, stability, compatibility of ingredients, and uniformity of drug distribution.
8	Safety and Stability	Assessing microbial contamination, shelf-life, and potential interactions between ingredients.
9	Performance	Testing for efficacy in pain relief, duration of action, and skin irritation or sensitization through methods like in vitro permeation studies or in vivo animal or human trials.

Equipment's used in experimental work are calibrated. All other glassware used were of analytical grades.

3. DRUG AND EXCIPIENTS PROFILE

The formulation and evaluation of topical analgesic creams involve the selection of active pharmaceutical ingredients (APIs) designed to interact with the skin and provide pain relief. These creams can be classified into three categories: counterirritants, non-steroidal anti-inflammatory drugs (NSAIDs), and opioid analgesics. The choice of API is critical as it affects the efficacy and safety of the product. For example, ketoprofen, an NSAID commonly used in topical analgesic creams, has been shown to have a significant impact on pain relief. The selection of the appropriate formulation base and excipients is also crucial in ensuring the efficacy and safety of the product. Studies have shown that the formulation base can significantly impact the permeation of the API across the skin.

In addition to the formulation and evaluation of topical analgesic creams, it is essential to consider the potential risks and side effects associated with their use. Topical analgesics should be used as directed by a healthcare professional or according to the product label to prevent adverse effects from overdosing or poisoning. Patients should also be monitored for signs of allergy, such as skin rash with blisters, hives, wheezing, or swelling of the face, lips, tongue, or throat, and seek medical attention immediately if such symptoms occur. The following is a summary of the key APIs commonly used in compounded topical pain creams, along with their mechanisms of action and potential benefits:

- a) Clonidine: An alpha-2 adrenergic agonist used to treat chronic pain, particularly neuropathic pain. It works by reducing the release of pain-producing neurotransmitters and increasing the release of pain-reducing neurotransmitters.
- b) Carbamazepine: An anticonvulsant used to treat trigeminal neuralgia and other neuropathic pain conditions. It works by reducing the release of pain-producing neurotransmitters and increasing the release of pain-reducing neurotransmitters.
- c) Gabapentin: An anticonvulsant used to treat neuropathic pain, particularly in conditions such as postherpetic neuralgia. It works by reducing the release of pain-producing neurotransmitters and increasing the release of pain-reducing neurotransmitters.
- d) Topiramate: An anticonvulsant used to treat migraines and other neuropathic pain conditions. It works by reducing the release of pain-producing neurotransmitters and increasing the release of pain-reducing neurotransmitters.
- e) Baclofen: A muscle relaxant used to treat muscle spasms and other neuropathic pain conditions. It works by reducing the release of pain-producing neurotransmitters and increasing the release of pain-reducing neurotransmitters.
- f) Cyclobenzaprine: A muscle relaxant used to treat muscle spasms and other neuropathic pain conditions. It works by reducing the release of pain-producing neurotransmitters and increasing the release of pain-reducing neurotransmitters.
- g) Orphenadrine: A muscle relaxant used to treat muscle spasms and other neuropathic pain conditions. It works by reducing the release of pain-producing neurotransmitters and increasing the release of pain-reducing neurotransmitters.
- h) Nifedipine: A calcium channel blocker used to treat hypertension and other cardiovascular conditions. It works by reducing the release of pain-producing neurotransmitters and increasing the release of pain-reducing neurotransmitters.
- i) Cannabidiol: A non-psychoactive compound found in cannabis used to treat various conditions including chronic pain. It works by interacting with the body's endocannabinoid system to reduce pain.
- j) Ketamine: An anesthetic used to treat chronic pain, particularly in conditions such as fibromyalgia. It works by blocking the action of pain-producing neurotransmitters and increasing the release of pain-reducing neurotransmitters.

4. EXPERIMENTAL WORK

Preparation of analgesic cream:

4.1. Preparation of o/w emulsion cream

The oil soluble components and the emulsifier are combined in a beaker and melted in a 75°C water bath. In a separate beaker, water, preservatives, and water-soluble components are melted at 75°C. Following heating, the oil phase was placed in a mortar and pestle, and the water phase was gradually added and triturated until a clicking sound was heard. Finally, after the temperature has cooled, perfumes and/or preservatives are added. The water content in this preparation will be greater than the oil content.



Fig 03 : Emulsion Cream

4.2. Preparation of w/o emulsion cream

The oil soluble components and emulsifier are combined in a single beaker and melted at 75°C. In a separate beaker, water and water-soluble components are melted at 75°C. After melting, the water phase was placed in a mortar and pestle, and the oil phase was gradually added and triturated until a clicking sound was heard. When the temperature of the cream has cooled, the perfuming ingredient is added. In this preparation, the water phase will be smaller and the oil phase will be larger.

4.3 FORMULATION TABLE

TABLE 03: FORMULATION TABLE

Ingredients	F1 (gm)	F2 (gm)	F3 (gm)	F4 (gm)	F5 (gm)
Bees wax	1	0.5	0.8	1.2	0.7
Coconut oil	2	2.5	1.5	2	1.8
Peppermint oil	0.5	0.3	0.7	0.5	0.7
Menthol	0.5	1	0.5	0.3	0.4
Glycerine	1.5	1.2	1.3	1.5	1
Methyl salicylate	1	1.5	1.2	1.5	1
Water	Qs to 10gm	Qs to 10gm	Qs to 10gm	Qs to 10gm	Qs to 10gm

5. RESULT

The topical analgesic cream was prepared by using o/w emulsion method using mixture of alcoholic extract of drugs including in Beeswax, coconut oil, peppermint oil, menthol. The cream was formulated and pass the evaluation test and all result were mentioned in following table,

Table 4: Organoleptic test

Test	Colour	Odour	Texture
F1, F2, F3, F4, F5	Light yellow	pleasant	smooth

Table no 5: Evaluation test

Test	F1	F2	F3	F4	F5
pH	5.1	4.9	5.2	5.4	4.6
Homogeneity	uniform	uniform	uniform	uniform	uniform
spreadability	5 cm	4.8 cm	5.1 cm	5.3 cm	5 cm
Acid value	1.2	1.1	1.3	1.2	1.2
viscosity	1200 cP	1180 cP	1210 cP	1190 cP	1200 cP
removal	Easy	Easy	Moderate	Easy	Easy

Table no 6: Evaluation test

Test	F1	F2	F3	F4	F5
Stability	No change	No change	No change	No change	No change
Agitation	No separation	No separation	No separation	No separation	No separation
Accelerated stability study	No degradation	No degradation	No degradation	No degradation	No degradation

6. SUMMARY

A topical analgesic cream is a method designed to offer localized pain remedy when implemented to the pores and skin's surface. these creams typically contain energetic include menthol, lidocaine, or capsaicin, which work by blocking off ache alerts or lowering inflammation within the affected location. Formulating an effective topical analgesic cream involves thorough studies, factor sourcing, product development, safety checking out, regulatory compliance, packaging design, production, marketing, and ongoing remarks for development.

7. CONCLUSION

The development of a topical analgesic cream requires careful consideration of various factors, including efficacy, safety, regulatory compliance and marketability. By following athe systematic approach outlined in the plan can create a high-quality product that meets consumer needs and regulatory standards. Five batches of F1 were formulated, F2, F3, F4, F5 in which F4 shows good results. Continuous feedback and iteration are essential for clarifying the formulation and solving any problems that may arise. Finally, a a well-executed plan can lead to successful development and commercialization and a topical analgesic cream that provides effective pain relief to consumers.

8. ACKNOWLEDGEMENT

I would like to express my sincere gratitude and appreciation to the **Ishwar Deshmukh Institute of Pharmacy, Digras**, its **Principal, Dr. Ranajit D. Tijare Sir**, and my project guide **Prof. Amol A. Chintawar sir**, and all the other teaching and nonteaching staff members for their invaluable support and assistance during my research work.

Their guidance, encouragement, and cooperation have been instrumental in helping me achieve my research goals. Their expertise and knowledge have been invaluable in providing me with the necessary resources, facilities, and guidance to carry out my research work efficiently.

I am deeply grateful to the college and its staff members for their continuous support and motivation, which has helped me immensely in my academic pursuits. I would also like to extend my heartfelt thanks to my colleagues and fellow students who have always been there to offer their support and encouragement.

Once again, I express my heartfelt thanks to everyone at the Ishwar Deshmukh Institute of Pharmacy, Digras, for their invaluable contribution to my research work.

9. REFERENCES

1. Rajeev Malviya, Dr. M.D. Khirsagar, Dr. A.V. Chandewar. Formulation Development of Cream using Rice Bran Wax for Topical Application. Asian Journal of Pharmaceutical Education and Research. October-December 2016, Vol 5, Issue 4 (64- 74).
2. E E Soje, J Muazu and SJ Madu. Formulation and In-vitro Assessment of Cream Prepared from Allium Cepa L., Bulb. Asian Journal of Pharmaceutical Science and Technology. 2016, Vol 6, Issue 1, 1-5.
3. Vishal Lad, Chandrakant Suryawanshi, Namita Jadhav, Vinod Wagh, Amit Sinhal, Gopichand Bhoi, Vijay Shastry. Formulation and Evaluation of Vanishing Herbal Cream of Crude drugs. Indo American Journal of Pharmaceutical Sciences. 2018. 05 (05). 4121-4128.
4. Kuntal Das, Raman Dang, Manjunath U Machale, Ugandar Re, Lalitha Br. Evaluation for safety assessment of formulated vanishing cream containing aqueous Stevia extract for topical application. Indian Journal of Novel Drug Delivery. Jan- Mar, 2012, 4(1), 43-51.
5. Ashwini S. Dhase, Somishwar S. Khadbadi and Shweta S. Saboo. Formulation and Evaluation of Vanishing Herbal Cream of Crude Drugs. American Journal of Ethnomedicine, 2014, Vol. 1, No. 5. 313-318.
6. R.E. Ugandar, and K. Sakthy Deivi. Formulation and Evaluation of Natural Palm Oil Based Vanishing Cream. International Journal of Pharmaceutical Sciences and Research. Ugandar and Deivi. 2013; Vol. 4(9): 3375-3380.
7. Seema Y. Mendhekar, Sonali D. Dangat, Pooja K. Phalke, S.L.Jadhav, D.D. Gaikwad. Development and Evaluation of Cream Contain Green Tea Extract, Aloe Gel and Vitamin E: As Skin Toner. Indo American Journal of Pharmaceutical sciences 2017. 4(12), 4265-4271.
8. Sk. Uddandu Saheb, Aduri Prakash Reddy, K. Rajitha, B. Sravani, B. Vanitha. Formulation and Evaluation of Cream from Naturally Containing Plant Extracts. World Seema Journal of Pharmacy and Pharmaceutical Sciences. 2018, Vol 7, Issue 5, 851- 862.
9. Ashish Aswal, Mohini Kalra and Abhiram Rout. Preparation and evaluation of polyherbal cosmetic cream. Der Pharmacia Lettre, 2013, 5(1):83-88.
10. Premkumar, T. Muthukumaran, V. Ganesan, Shanmugam R. Priyanka D.L. Formulation and Evaluation of Cream Containing Antifungal Agents, Antibacterial Agents and Corticosteroids. Hygeia Journal for drugs and medicines. October 2014- March 2015. Vol.6 (2) 5-16.
11. Sai Lakshmi Jyothirmai Kala and Supriya Dalapathi. Formulation and invitro Evaluation of poly herbal Antiaging Face Cream. World Journal of Pharmaceutical Research 2017, Vol 6, Issue 13, 713.
12. Argoff CE. Topical analgesics in the management of acute and chronic pain. 2013; 1, 88, 2: 195205.
13. Jorge LL., Feres CC. Teles VE. Topical preparations for pain relief: efficacy and patient adherence. Journal of pain research, 2011; 4:11.
14. Bani KS, Bhardwaj K. Topical Drug Delivery Therapeutics, Drug Absorption and. Penetration Enhancement Techniques. Journal of Drug Delivery and Therapeutics, 2021; 15, 11(4): 105-10.
15. Hagen M, Baker M. Skin penetration and tissue permeation after topical administration of diclofenac. Current medical research and opinion, 2017; 2, 33(9): 1623-34.
16. Joshi M. Butola BS. Saha K. Advances in topical drug delivery system: Micro to nanofibrous structures. Journal of Nanoscience and Nanotechnology, 2014; 1, 14(1): 853- 67.
17. Sudam KR. Suresh BR. A Comprehensive Review on: Transdermal drug delivery systems. Int. J. Biomed. Adv. Res, 2016; 7: 147-59. 7. Chauhan L, Gupta S. Creams: a review on classification, preparation methods, evaluation and its applications. Journal of Drug Delivery and Therapeutics, 2020; 15, 10(5-5): 281-9.
18. Allen L. Ansel HC. Ansel's pharmaceutical dosage forms and drug delivery systems. Lippincott Williams & Wilkins, 2013, 23.
19. Pal A, Soni M, Patidar K. Formulation and evaluation of polyherbal cream. International Journal Pharmaceutical and Biological Archives, 2014; 5: 67-71.