



Psycho-Social Aspects of Disabilities

Dr. Naseem Ahmad

Rehabilitation Psychologist

Amroha, Uttar Pradesh

Mr. Shubham Nehra

Assistant Professor

Mansoori Academy, Bijnor, UP

Abstract

This paper explains secondary thematic investigations that are relevant in considering psycho-social aspect of the disabilities in terms of the impacts of the disability on the mental condition, interdependent associations and wellbeing individual. It has identified five significant themes on the overlap between disability and mental health and social exclusion, stigma and the internalized beliefs, systemic barriers to care, and resilience through inclusive practices. The findings reveal that the particularities of the issue of mental illnesses (depression and anxiety) among individuals with disabilities are not limited by the impairments only but are preconditioned by the environmental, social, and attitudinal conditions. Social exclusion has the potential to begin in infancy and continue on through adulthood as these people are disadvantaged when it comes to educational course attendance, employment and experience of positive social contact. Stigma both external and internalized is one of the reasons of emotional and psychological inconvenience and low rates of help-seeking attitudes. The discrimination and some systemic factors, such as division in health services and insufficient culturally competent care, have an additional disadvantage on the population who have to struggle with it to access mental health services. Still, the importance of supportive networks, inclusive education, and person-centered approaches regarding the formation of resilience and psychological well-being are also the points stressed by the study. The given study comes to the conclusion that the psycho-social aspect of the problem of disability requires changing the traditional medical model to the holistically integrated along with the equitable model allowing to pursue the idea of the individuals with disabilities being integrated into the social life and their health being achieved through the sense of dignity and self-worth.

Keyword: Supportive Network, Disability, Stigma, Psychosocial, and Mental health

Introduction

This study provides detailed information regarding the connection and interplay between social factors and psychological aspects. Impact of these aspects on life, well-being and mental health of human beings with disability. Self-estimation, mental health, identity and social participation of disabled people has been impacted poorly due to their disabilities. Although people with a disability continue to experience problems of

marginalization and disparity in general, psychosocial disabilities, in particular, are fraught with the fact that these are invisible conditions that have a history. The history of medical care of mental conditions has not taken into account the autonomy of the patients, and this history has left a trail of institutionalization, as well as treatments carried out in a non-consensual, degrading and violent manner (Ringland et al., 2019). And even though the world of medical science has evolved immensely over the past 50 years, there are still those who are reluctant to confess their symptoms, embrace psychiatric labels and are unwilling to receive mental healthcare services. Notwithstanding a very high degree of concurrence of mental and physical ill-health, social service and healthcare delivery systems of physical and mental health care remain segregated. This has also resulted in disunity and discontinuity between the available treatment options and support strategies between each, thereby individuals may receive treatment in one type of condition, but not the other. Similarly, the creation of treatment and assistive technologies in regards to physical and psychosocial disabilities are also developed independently by different communities.




Figure 1: Psychosocial health and Disability

(Source: Ringland et al., 2019)

Background of the study

Aim and Objectives

Aim

The aim of this study is to learn about the psycho-social aspects of disabilities, impact of disabilities on social, psychological and mental health of human beings.

Objectives

- To identify the interconnection between disabilities and psychological and social well-being.
- To evaluate the impact of disabilities on Social interaction and mental health of human beings.
- To identify the interconnection of disabilities and social stigma and discrimination of people.

Questions

1. What is the interconnection between disability and mental health of human being
2. What is the impact of disabilities on mental health and social interaction
3. How disability increase issues related to discrimination and social stigma

Rationale of the study

Psychosexual aspects of disabilities are vital in determining lived experience of persons with disabilities, their well-being and social inclusion. Despite the fact that these medical and functional focuses tend to overtake the discussions, more research has underlined the points that psychological health and social dynamics cannot be overlooked and are equally crucial towards the comprehension of the overall repercussions of disability (Friedman, 2021). The reasons this research is based on are that persons with disabilities often encounter not just physical or cognitive ability constraints but also stigmas and discrimination as well as social exclusion that can contribute to the development of poor mental health, personal identity and quality of life they may live.

This research is justified by the necessity to study the effect of societal attitudes, obstacles set out by the surrounding environment, and interpersonal relationship on such aspects of the psychological condition as self-esteem, resilience, anxiety, and depression (Banks et al., 2021). It also treats with the contribution of family support, community integration, and inclusive policies to the positive social participation and autonomy. These psycho-social dimensions are vital in formulating effective interventions, disability-inclusive practices and policies that are not limited to a medical modelling. This research aims at addressing the social and emotional realities of persons with disabilities to bring about more representative, equitable and empowering strategies to support, rehabilitate, and advocate persons with disabilities.

Literature Review

Connection between disabilities and psycho-social aspects of human being

The psycho-social well-being-disability interaction is an endless and imminent relationship that persons face with themselves and their surroundings. Disabilities due to their physical, cognitive, sensory, and psychiatric nature are frequently regarded not only with limitations of functioning but also with psycho-social ramifications that may result in smearing the perception of subjects as well as how others view them (WHO, 2022). With recent research on disability becoming less exclusively medical and more social and biopsychosocial, researchers are paying more attention to the fact that the lived reality of disability goes substantially beyond the impairment itself.

The studies indicate that people with disabilities are more susceptible to various mental problems such as depression, anxiety, stress, and poor self-esteem. According to Chao, Chou and Cheng (2022), these are common psychological effects of disability not necessarily being part of the disability itself, but a direct consequence of social prohibition, stigmatization, discrimination, and inaccessibility. Indicatively, research has revealed that individuals with disabilities tend to be easily bullied, rejected, or isolated by others, hence ending up feeling low in self-esteem and psychosocial strength (Ivins-Lukse and Lee, 2021). The social-psychological consequences are more evident in case of children and adolescents with a disability due to

difficulty to obtain and sustain an early experience and development specific milestones because of an exclusionary social setting.




Figure 2: Solution of Stigma and Social Isolation

(Source: Ivins-Lukse and Lee, 2021)

Stigma has a very destructive function in influencing the psycho-social life of individuals with disabilities. Cultural beliefs that downvalue individuals with disabilities are responsible for negative self-conceptions, which more often than not trigger internalized stigma. This internalization leads to decreased ambitions, decreased sense of efficacy, and social withdrawal (Mitra & Shakespeare, 2020). Where disability is seen as a source of shame or burden, individuals are also rejected by family or community and consequently gain additional reinforcement of emotional distress and social withdrawal. These are conditions that limit potentials to successful involvement, in the provision of further exclusion and reliance. Feelings of disempowerment can be attributed to constrained social networks, inadequate representation in the society, and the inability to get access to any available public facility. These disorders undercut the development of a safe sense of self in many people and reduce their ability to feel that life is under their control (Banks et al., 2021). It is also observable that these negative effects can be alleviated to a considerable extent by making psycho-social settings possible. Introductions to inclusive education, acceptance by peers, and participation with the community have been discovered to elevate the well-being of the emotional, autonomy and make them resilient to people with disability. Psycho-social development also requires parental support which is crucial because it helps to repel the external bias and assists in forming a positive self-image. Engagement in self-advocacy and disability rights channels has been categorized to positively influence the psychological response and the increase in self-determination (Ivins-Lukse and Lee, 2021). Person-centered care, in which the services are made to suit the wishes, goals, and social lives of the individual, has been found to be a successful avenue in improving mental health and satisfaction in life.

It is also important to mention that the COVID-19 pandemic made the psycho-social vulnerability of people with disabilities more evident because a number of individuals faced more isolation, loss or alteration of services, and an elevated need of mental health interventions. According to the WHO (2022), mainstreaming

psycho-social support in disability-inclusive programs/policies was needed since the inclusive emergency responses failed. There is no separation between monetary and psycho-social well-being and disability. Although disabilities may predispose one to psycho-social problems, the social environment largely defines the level and scope of the impact produced. Future study and work will have to further pay attention to this psycho-social approach in order that disabled individuals are able to lead empowered, conjoined and complete lives.

Impact of disabilities on social interaction and mental health of human being

A disability profoundly affects social relationships as much as mental and physical health providing a multifaceted interrelationship between biological, psychological and environmental parts that determine the experience and survival of individuals. Although the nature and the degree of disabilities can be different, being both physical and sensory impairments, intellectual and psychosocial disorders, and so on, the scope of their influence on the relationships between people and the emotional response can be extremely extensive and significant (Stephoe and Gessa, 2021). Social interaction is a major aspect of human development and psychological health, but people with disabilities are often unwelcome in the social life and prevented from becoming a full-fledged participant of the social life. Individuals who have disabilities are likely to be faced with social exclusion, labeling and discrimination both at the community and individual levels. The existence of these barriers may lead to the limitation in access to educational, recreational and employment opportunities even further limiting the formation of constructive social relations. A child with disabilities, as an example, may exhibit less friendship, less peer acceptance, and bullying torment compared to their non-disabled counterparts, which may not help in developing their social skills and building self-confidence. With regard to social inclusion, the role of stigma is very damaging. The attitudes of society that are bred on the basis of ableism and treat individuals with disabilities as dependent, incapable, or abnormal individuals contribute to the marginalization of the latter. Such stereotypes not only influence the way which persons with disabilities are treated by other people, but also determine the self-perceptions of people with disabilities (Brandt et al., 2022). Stigma can be internalized and result in poor self-esteem, avoidance of interpersonal interactions, and unwillingness to reach out or engage in communal life. Such isolations lead to a pattern of loneliness, social anxiety, and deteriorating mental health.




Figure 3: Impact of Disability on social health
(Source: Brandt et al., 2022)

People with any disabilities achieve significantly worse mental health than those in the general population. The populations of people with disabilities are two to three times more likely to suffer depression, anxiety and have other psychological problems. These are not just a natural side effect of being disabled but rather reflect heavily on the social circumstances which lead to poverty, unemployment, inaccessibility to care and social

isolation. As an illustration, individuals with physical disabilities may be frustrated and feel hopeless because of the environmental obstacles, whereas people with an intellectual impairment will experience low expectations and reduced autonomy developed by institutions and caregivers. On the other hand, studies also indicate that favorable social connections and inclusive atmospheres have the capacity to alleviate the adverse psychological repercussions of impairment. Nurturing relatives, welcoming educational facilities, and close companions are important vehicles of supporting self-value, fortitude, and psychological well-regard. As Tough, Siegrist and Fekete (2017) highlight, the introduction of self-determination and empowerment in persons with disabilities contributes to their better mental health and social activities. In addition, programs like community based rehabilitation, social skills and disability advocates programs have indicated their potential in impacting social integration and emotional well-being. The effects of disability on the social aspect and mental health are quite diverse and enshrined within the societal framework (Van, 2022). Disabilities are challenges, but it is the social surrounding atmosphere, inclusivity, accessibility, attitudes that usually defines the consequence in terms of the psychology of the person. Inclusive practices, lessening the feeling of stigma, and psycho-social help are needed to enhance the well-being of individuals with disabilities and make them more active social participants.

Influence of disabilities on social interaction and stigma of people

Disability in itself is not merely a health condition, but it is a social-cultural phenomenon that also has immense bearing on the life experience of individuals in their social environment. Quite likely one of the worst impacts of disability is the impact it has on social interaction in life and the stigma attached to it most often (Cui, 2023). As studies again and again show throughout the disciplines, the people with disabilities will be less included in society and more exposed to the condition of social prejudice, resulting in the condition of social exclusion and mental distress. They are compounded by the cultural beliefs, the structural barriers, and the systemic disadvantage that lead to further isolation and marginalization. People with disabilities are normally disadvantaged in the formation and maintenance of relationships between individuals whether social or official such as schools and workplaces. This exclusion is normally based on the societal perception regarding disability, which views the individual as under-competent, vulnerable, or a burden. These ableist tendencies put social opportunities at a limit since they, in fact, invite individuals to stay away from individuals with disabilities and have them feel like outsiders when socializing in public places. According to Chatzitheochari and Butler-Rees (2022), this has resulted in the majority of people with disabilities reporting that they have fewer friends, receive fewer forms of social support, and fewer activities engaged in within their community. This reduction in social capital negatively affects their emotional health, feelings of belonging and the quality of their lives. Stigma, both external stigma and internalized stigma, is a primary cause of the social marginalization of the disability group of individuals. Public stigma refers to the negative reaction of the society's disapproval, pity, fear or anything that is unacceptable and therefore exclusionary behavior or discriminatory approach. This can lead to verbal abuse, opportunity exclusion or invisibility from the decision making space. According to Bakombo, Ewalefo and Konkle (2023), internalized stigma though is linked to when individuals suffering from conditions start internalizing society's perceptions of them being ill and start having low self-worth, self-esteem and even less

motivation to interact with society. As the studies have shown, internalized stigma scales highly correlate with social withdrawal, anxiety and depression leading to the process of segregation and disempowerment.

The disabled adolescents and children are particularly vulnerable to such dynamics. They are most likely bullied, ostracized by peers, and socially stigmatized in school, and this will critically impair their ability to establish good social relationships. This is because of a lack of inclusive learning and education by common peers (Prizeman, Weinstein and McCabe, 2023). As an example, it has been found that intellectually-disabled classes are often segregated and therefore not visible to others, not just by restricting contact and taking over stereotypes of their social capabilities. The long-term effects of these rejection experiences in childhood are issues in social development and psychological health. Moreover, disability-related cultural beliefs have the potential to multiply stigma and social exclusion. Disability in some cultures is defined in terms that relate it to sin, karma, or even divine punishment to a person, and this can end up isolating the person as well as the family. Such cultural stigma can result in exclusion from community activities, no chances for marriage, or institutionalization. According to Saran et al., (2023), the invisibility of disabled individuals is further supported by the reality that there is no public representation of them in the media, as in leadership and general discourse. Despite all these challenges, the most recent studies indicate the potential of positive social environments to decrease stigma and facilitate positive socializing. Inclusive education, disability rights movement, sensitization campaigns have been effective in removing misperceptions and fostering empathy among the mass populations. Integrating individuals with disability into the social and professional environments of the workplace and society would be highly likely to enhance the probability of forming good relationships, become confident in self and get active participation in the community. Disability individuals empowered to become self-advocates through programs also play an important role in dismantling the stigma and ensuring social inclusion. Disabilities greatly impact the social interaction dynamics, as the former all too much limit the potential of interaction with the social world, and subject the individual to stigma (Parikh, Kempner and Young, 2021). These outcomes are not necessarily due to impairments alone, but they are extremely predestined as a result of society's attitudes and system-based barriers.

Challenges of people with disabilities related to mental health

The topic of mental health issues of individuals with disabilities has now become a major issue of people with disabilities and it is also a crucial element in the study of disability and health. Although most people think of disability in relation to physical, sensory, cognitive or developmental limitations, the effects it has on mental health are multi-faceted and extensive. Through several studies, it has been found that persons with disabilities have a much worse chance of going through mental health disorders as a result of some determinants, namely social isolation, discrimination, inability to obtain mental health services, poverty, and constant stress. Such issues do not directly depend on the disability as such, but are based on systems and social impediments that prevent complete integration and wellbeing (Medforth and Boyle, 2023). It is estimated that one of the most frequently indicated mental conditions among persons with disabilities is depression followed by anxiety, post-traumatic stress disorder (PTSD), and low self-esteem. Such conditions are usually seen as a result of extended periods of being stigmatized by society, social isolation, and less access to education, employment, and healthcare. Individuals with disabilities are twice or at a higher frequency incurring depression or anxiety

as compared to other people (Byrne, Barber and Lim, 2021). This is especially applied in the cases of the individuals with mobility impairments or chronic illness that are consistently limited in functional issues, pain or exhaustion, which may add to emotional distress.

Two of the most problematic factors associated with lack of good mental health in this group are stigma and discrimination. According to Chung and Teo (2022), the attitudes of people towards people with disabilities as useless, helpless or inferior can have a devastating impact on their self identity and self image. Self-doubt, shame and hesitation to seek help can occur when internalized stigma arises, where society has a negative view of an individual and the individual takes on this perspective. Moreover, the children or children with disabilities are often being bullied or socially excluded at schools and this may induce the long-term psychological impact on them such as low self-esteem and emotional detachment. The second significant obstacle is the inaccessibility to the right mental health services. Disabled people tend to have logistical problems like transport difficulties, inaccessible medical centers, or medical personnel who are not professionally trained on how to treat disabled patients. Psychological symptoms are often disregarded or incorrectly attributed as a result of the person experiencing a disability, further enforced by the mental health professionals. The full effect of this has been experienced in low-and middle-income countries where there is no comprehensive healthcare system to help individuals with both physical and mental health disorders. Economic vulnerability is also a major factor that contributes to mental health issues (Wies, Landers, and Ienca, 2021). Disability is both a determinant of and a condition caused by the lifestyle that is associated with poverty, and many individuals with disabilities are more likely to have increased living costs and low potential to land well paying jobs. Financial pressure, which has no social nets in place, is another cause of mental illness. Poor economic standing among the population with disabilities is directly correlated with increased cases of psychological turmoil and suicidal thoughts among the youth and elderly.

Besides the environmental and systemic factors, the mental fitness of individuals with disabilities can be affected indirectly by caregiver stress in such situations where the patient is dependent on members of their family to help them (daily) (Limone and Toto, 2022). Care giver burn out, a restricted access to relief, and the family stress may lead to tensions and emotional imbalances within the household not only to the disabled member of the household. In spite of these many setbacks, the coming up of new interventions and practices are a source of hope (Singh, Kumar and Gupta, 2022). Peers and community support systems, rehabilitation-centered and person-centered approaches to care models have proven to be successful in enhancing positive mental health outcomes. It is important to have programs that incorporate psychosocial support into service delivery of disability and foster inclusive mental health care, to reduce risk. Further, there has been a radical transformation in attitudes through advocacy movements by disabled people who have changed the popular narratives and proliferated demands focused on inclusive rights-based approaches to health and wellness.

Methodology

Selection of suitable research methods can play a pivotal role in developing and establishing research value. This research will utilize the secondary research methodology which involves the systematic gathering, analysis and interpretation of the available information, literature and works by scholars in review of the psycho-social effects of disabilities especially mental health, stigma and interaction with others. In contrast to

the primary research, the secondary research inadvertently uses the resources published previously, in order to find the patterns, draw conclusions, and adhere and reject the theoretical frameworks. A narrative, rather than a quantitative research methodological approach was adopted to discuss more pernicious social and psychological phenomena that cannot be properly measured by means of numeric data. This design will apply to secondary research because it is possible to explore lived experiences, dispositions, and systemic aspects related to disability and mental health. Thematic analytical models helped to define that patterns in the literature can be determined and systematized in coherent categories, i.e., stigma, access to care, social exclusion, and psychosocial resilience. Various published journals and articles will be utilised in order to extract the information relative to chosen research topic (Susilawati et al., 2025). There are selection criteria according to which the sources have to be in English, written within the recent five years and directly touching the themes of disability, mental health, social participation or stigma. It was given priority to well-theorized work, which has a strong and rigorous methodology. A thematic analysis was also used to classify the results into themes. Some of them were related to the problem of access to mental health care, social attitudes in determining mental health, the consequences of exclusion on emotional health and interventions that might bring the important exclusion of psychosocial care. The analysis served the purpose of summarizing the results of studies in various settings to produce generalizable results on the general psycho-social struggle of persons with disabilities. The study is limited to secondary research projects in that the scope and reliability of the literature available determine the limit where research is conducted. Publication bias and the regional imbalance are possible since most of the sources are located in high-income nations. Moreover, primary evidence and interviews on lived experiences are absent and could have added more detailed information on the context itself (Dzwigol, 2022). Considering that the research involved no use of human subjects and did not result in collection of primary data, no institutional review board approval was necessary. In a sense though, ethical rigor was met because the existing work was rightfully represented, and there were proper citations as well as the lack of the misinterpretation of secondary data.

Data Analysis and Findings

Theme 1: Intersection of disability and mental health

A unifying theme observed in the literature is that persons with disabilities are more susceptible to mental health issues. It was noted in the research that it is not only the impairments alone which make persons vulnerable, but it is also the social and environmental stressors. Disabilities are inextricably linked with higher incidences of depression, anxiety, PTSD, and low self-esteem, whether physical, intellectual, or psychosocial in nature. This is made worse by systematic discrimination, marginalisation, and constant stress when trying to get through inaccessible spaces (Doherty et al., 2020). Especially, mobility-impaired people or the chronically sick experience constant frustration through environmental and structural barriers, and intellectually disabled people are commonly overprotected or disempowered by guides or institutions, meaning their freedom is impeded further which causes poor mental health. This has revealed that discussing mental health in individuals with disabilities should be done psychosocially, and not in a manner that is focused on hygiene.

Theme 2: Social Interaction and Exclusion

Psychological and emotional growth both need to be educated through social interaction and disabled people tend to be left on the outside of this process. As it has been described in literature, numerous children with disabilities feel isolated in school environments: they have fewer friends and they are rejected by peers and also bullied. This early rejection creates a precursor to adulthood encounters of isolation, underutilization and lack of belonging to the community (Whitehead, 2020). People with disabilities living as adults are less likely to have social ties, and they are less engaged in civic life, which is a reason to develop emotional distress. The underrepresentation on social networks and the lack of a presence in the communal and the public domain results in a sense of invisibility and low-self-esteem. Hence the theme indicates that social disconnection is a contributing factor and an outcome of the psychosocial issues of people with disabilities.

Theme 3: Stigma and internalized belief

Stigma was found to be one of the dominant and disabling trends within psycho-social terrain of disability. Stigma may be outward in the form of prejudice, stereotypes, and discriminatory practice in the society, or it can be in the form of self-stigmatization, known as internalized stigma where self-esteem is belittled and shunned in the society. The disabled are considered weak and unable or dependent and people keep a distance and do not give them as many chances in education and job opportunities (Čolić Dababnah and Milačić-Vidojević, 2021). Worse still is internalization of such attitudes with shame, clinging to ourselves and avoidance of help. Stigmatization can remove a person and his or her family within society because cultural stigma restricts involvement of individuals within society particularly where disability has been interpreted to be a punishment or misfortune to society. In particular, this theme is significant to explain why a lot of people with disabilities do not opt in to mental health services because they are afraid to be judged, misdiagnosed, or marginalized even more.

Theme 4: Systematic barriers and inaccessibility of mental health services

Another major theme that comes out in the analysis is the systematic exclusion of individuals with disabilities to obtain mental health care and support. Regardless of comorbidity between physical and mental health disorders that are high, service delivery systems tend to work in silos- the disability services on one hand and the mental health service on the other. This fragmentation does not allow comprehensive care and does not allow people to have integrated, person-centered assistance (Gréaux et al., 2023). The barriers to accessibility involve transportation, inadequate adaptation of facilities, and providers who have not received training in the medical administration of disability-inclusive mental health care. The issue is still more critical in low-resource environments as there are limited services and extensive diagnostic disparities. The inappropriate crediting of symptoms where the suffering, in fact, is psychological, gets the treatment further complicated. The theme reminds people about the importance of systemic change in the integration of services and disability education of providers to ensure that people with disabilities will be more adequate and not in danger of experiencing a deterioration of psychological statuses.

Discussion

The psycho-social aspects of thematic analysis of disabilities highlights the complexity and multidimensional nature of issues in disability and especially that of mental health, social participation and identity amongst

people with disabilities. Every theme that is disclosed in the analysis can provide indications of how profoundly the societal constructions, not actual impairments per se, affect the overall well-being of the disabled people: mental health, social exclusion, stigma, systemic barriers, and resilience. To begin with, disability is closely connected with three issues related to the mental health of a person: depression, anxiety, and chronic stress, which indicates the large emotional burden on individuals caused by marginalization and social exclusion (Doherty et al., 2020). As could be established these mental health challenges are not inherent of the disability per se but it is usually a result of environmental stressors which include inaccessible systems, negative societal attitude, and social rejection. Such results defend the biopsychosocial model of disability, according to which health and functioning are dynamic interactions of the biological, psychological, and social factors. Second, the theme of social exclusion throws light to the fact that people with disabilities are often being denied the possibility of full participation in social, educational and community affairs. This problem of being left out early in school settings tends to result in adulthood isolation, lack of peers, inability to pursue career and civic activities. Such exclusion patterns lower possibilities of developing identity, self-esteem, and resilience at psychological levels. This is especially worrying among the youth, when fitting in and acceptance are paramount to the emotional and mental growth. This repercussion of stigmatization and self-opinion is also discussed in the analysis. Cultural, structural, and interpersonal stigma causes people to be labeled and marginalized, whereas the internalized one erodes self-esteem, which demoralizes people to seek help. Stigma has a psychological impediment and leads to the worsening of all the existing impairments by decreasing motivation, autonomy and hope in most individuals. These findings have been congruent with other findings on how the norms of ableism penetrate deeply into the perceptions that individuals hold towards people with disabilities and the manner in which the latter believes in themselves. One of the biggest problems that became evident within the analysis is symptomatic of the systemic obstacles to care, in that case, the disconnected provision of mental health and disability services. Most healthcare systems lack the ability to support the multifaceted and overlapping needs of people with disabilities in low-resource environments. Such gaps are insufficient trained professionals, inaccessible facilities and models of diagnoses that do not reflect cultural diversity and functional diversity (Gréaux et al., 2023). Therefore the individuals with disability are usually underserved, misdiagnosed and included in interventions. The message of resilience and inclusive practice is an optimistic set-off though. People with disabilities who are empowered through inclusive education, aggregate of peers, involvement in community, and person-centered attendant illustrate very high measures of self-determination, empowerment, and psychological enhancement. Such results underline the role of encouraging strengths-based socially integrated models that empower, as opposed to pathologizing, disability.

Conclusion

This paper demonstrates the psycho-social criticalities of disability showing how the realities of mental disorders, stigma, social exclusion and often strong systemic phenomena and how these dimensions are intertwined in the lives of disabled people. The thematic analysis shows that the issues that arise in disability go far beyond physical or cognitive disability, be it based on attitudes in society, inaccessibility to appropriate services, or the inability to incorporate psychological services into disability models. The closely related factors to social isolation, stigma and the inclusion in community life are mental health problems which appear in the form of depression and anxiety. Also, internalized stigma has a sizable impact on self-esteem

and can prevent individuals from getting help and demanding their rights. The results demonstrate the necessity to use inclusive person-centered approaches that not only address the clinical symptoms but also integrate, empower, and dignify them socially. The traditional medical approach to medical practice should also shift to a biopsychosocial model as a means of interventions by focusing on collaborations among healthcare providers, educators, familial, and community members. The quality of life of the people with disabilities can be effectively improved with the help of inclusive education, peer support, culturally competent mental health services, and policies that emphasize equity. Finally, this work promotes changing the perspective on disability as an inability imposed by a person to the perception of disability as social construct crafted by impairments and requests elastic, comprehensive systems which support psychological soundness and complete entering the world.

References

- Bakombo, S., Ewalefo, P. and Konkle, A.T.M. (2023). The Influence of Social Media on the Perception of Autism Spectrum Disorders: Content Analysis of Public Discourse on YouTube Videos. *International Journal of Environmental Research and Public Health*, [online] 20(4), pp.1–15. doi:<https://doi.org/10.3390/ijerph20043246>.
- Banks, L.M., Davey, C., Shakespeare, T. and Kuper, H. (2021). Disability-inclusive responses to COVID-19: Lessons learnt from research on social protection in low- and middle-income countries. *World Development*, 137, p.105178. doi:<https://doi.org/10.1016/j.worlddev.2020.105178>.
- Banks, L.M., Davey, C., Shakespeare, T. and Kuper, H. (2021). Disability-inclusive responses to COVID-19: Lessons learnt from research on social protection in low- and middle-income countries. *World Development*, 137, p.105178. doi:<https://doi.org/10.1016/j.worlddev.2020.105178>.
- Brandt, L., Liu, S., Heim, C. and Heinz, A. (2022). The effects of social isolation stress and discrimination on mental health. *Translational Psychiatry*, [online] 12(1), pp.1–11. doi:<https://doi.org/10.1038/s41398-022-02178-4>.
- Byrne, A., Barber, R. and Lim, C.H. (2021). Impact of the COVID-19 pandemic – a mental health service perspective. *Progress in Neurology and Psychiatry*, [online] 25(2), p.27. doi:<https://doi.org/10.1002/pnp.708>.
- Chao, P.-C., Chou, Y.-C. and Cheng, S.-F. (2019). Self-determination and Transition Outcomes of Youth with Disabilities: Findings from the Special Needs Education Longitudinal Study. *Advances in Neurodevelopmental Disorders*, 3(2), pp.129–137. doi:<https://doi.org/10.1007/s41252-019-00105-1>.
- Chatzitheochari, S. and Butler-Rees, A. (2022). Disability, Social Class and Stigma: An Intersectional Analysis of Disabled Young People’s School Experiences. *Sociology*, [online] 57(5), p.003803852211337. doi:<https://doi.org/10.1177/00380385221133710>.
- Chung, J. and Teo, J. (2022). Mental Health Prediction Using Machine Learning: Taxonomy, Applications, and Challenges. *Applied Computational Intelligence and Soft Computing*, [online] 2022, p.e9970363. doi:<https://doi.org/10.1155/2022/9970363>.
- Čolić, M., Dababnah, S. and Milačić-Vidojević, I. (2021). A model of internalized stigma in parents of individuals with disabilities. *International Journal of Developmental Disabilities*, pp.1–9. doi:<https://doi.org/10.1080/20473869.2021.1924032>.

Cui, J. (2023). The Impacts of Stigma on People with Disabilities: a Systematic Review. *BCP Social Sciences & Humanities*, [online] 21, pp.108–113. doi:<https://doi.org/10.54691/bcpssh.v21i.3433>.

Doherty, A.J., Atherton, H., Boland, P., Hastings, R.P., Hives, L., Hood, K., James-Jenkinson, L., LEAVEY, R., Randell, L., Reed, J., Taggart, L., Wilson, N. and Chauhan, U. (2020). Barriers and Facilitators to Primary Health Care for People with Intellectual Disabilities and/or autism: an Integrative Review. *BJGP Open*, [online] 4(3). doi:<https://doi.org/10.3399/bjgpopen20X101030>.

Dzwigol, H. (2022). Research Methodology in Management Science: Triangulation. *Virtual Economics*, [online] 5(1), pp.78–93. Available at: <https://www.virtual-economics.eu/index.php/VE/article/view/145>.

Friedman, C. (2021). COVID-19, PEOPLE WITH IDD, AND QUALITY OF LIFE The COVID-19 Pandemic and Quality of Life Outcomes of People with Intellectual and Developmental Disabilities. *Disability and Health Journal*, p.101117. doi:<https://doi.org/10.1016/j.dhjo.2021.101117>.

Gréaux, M., Moro, M.F., Kamenov, K., Russell, A.M., Barrett, D. and Cieza, A. (2023). Health equity for persons with disabilities: A global scoping review on barriers and interventions in healthcare services. *International Journal for Equity in Health*, 22(236), pp.1–18. doi:<https://doi.org/10.1186/s12939-023-02035-w>.

Ivins-Lukse, M. and Lee, E.-J. (2021). Self-compassion mediates stigma for parents of transition-age youth with intellectual and developmental disabilities. *Rehabilitation Psychology*, 66(3), pp.265–272. doi:<https://doi.org/10.1037/rep0000382>.

Limone, P. and Toto, G.A. (2022). Factors That Predispose Undergraduates to Mental Issues: A Cumulative Literature Review for Future Research Perspectives. *Frontiers in Public Health*, 10(831349). doi:<https://doi.org/10.3389/fpubh.2022.831349>.

Medforth, N. and Boyle, C. (2023). Challenges, Complexity, and Developments in Transition Services for Young People with Disabilities, Mental Health, and Long-Term Conditions: An Integrative Review. *Comprehensive child and adolescent nursing*, [online] 46(3), pp.180–200. doi:<https://doi.org/10.1080/24694193.2023.2245473>.

Parikh, S.K., Kempner, J. and Young, W.B. (2021). Stigma and Migraine: Developing Effective Interventions. *Current Pain and Headache Reports*, 25(11). doi:<https://doi.org/10.1007/s11916-021-00982-z>.

Prizeman, K., Weinstein, N. and McCabe, C. (2023). Effects of Mental Health Stigma on loneliness, Social isolation, and Relationships in Young People with Depression Symptoms. *BMC Psychiatry*, 23(527). doi:<https://doi.org/10.1186/s12888-023-04991-7>.

Ringland, K.E., Nicholas, J., Kornfield, R., Lattie, E.G., Mohr, D.C. and Reddy, M. (2019). Understanding Mental Ill-health as Psychosocial Disability. *The 21st International ACM SIGACCESS Conference on Computers and Accessibility*. Doi:<https://doi.org/10.1145/3308561.3353785>.

Saran, A., Hunt, X., White, H. and Kuper, H. (2023). Effectiveness of Interventions for Improving Social Inclusion Outcomes for People with Disabilities in Low- and Middle-income countries: a Systematic Review. *Campbell Systematic Reviews*, [online] 19(1). doi:<https://doi.org/10.1002/cl2.1316>.

Singh, V., Kumar, A. and Gupta, S. (2022). Mental Health Prevention and Promotion—a Narrative Review. *Frontiers in Psychiatry*, [online] 13(13). doi:<https://doi.org/10.3389/fpsy.2022.898009>.

Stephoe, A. and Gessa, G.D. (2021). Mental health and social interactions of older people with physical disabilities in England during the COVID-19 pandemic: a longitudinal cohort study. *The Lancet Public Health*, [online] 0(0). doi:[https://doi.org/10.1016/S2468-2667\(21\)00069-4](https://doi.org/10.1016/S2468-2667(21)00069-4).

Susilawati, A., Abdulkareem, Abduh, A., Irwansyah, F.S. and Nandiyanto, D. (2025). How to do research methodology: From literature review, bibliometric, step-by-step research stages, to practical examples in science and engineering education. *Indonesian Journal of Science and Technology*, [online] 10(1), pp.1–40. doi:<https://doi.org/10.17509/ijost.v10i1.78637>.

Tough, H., Siegrist, J. and Fekete, C. (2017). Social relationships, Mental Health and Wellbeing in Physical disability: A Systematic Review. *BMC Public Health*, [online] 17(1). Available at: <https://link.springer.com/article/10.1186/s12889-017-4308-6>.

Van, T.P. (2022). Relationship between well-being and social interaction of disabled people in Ho Chi Minh City, Vietnam. *Journal Of Advanced Pharmacy Education And Research*, 12(2), pp.23–29. doi:<https://doi.org/10.51847/ynliovliq>.

Whitehead, B.R. (2020). COVID-19 as a Stressor: Pandemic Expectations, Perceived Stress, and Negative Affect in Older Adults. *The Journals of Gerontology: Series B*. doi:<https://doi.org/10.1093/geronb/gbaa153>.

Wies, B., Landers, C. and Ienca, M. (2021). Digital Mental Health for Young People: A Scoping Review of Ethical Promises and Challenges. *Frontiers in Digital Health*, 3(1). doi:<https://doi.org/10.3389/fdgth.2021.697072>.

World Health Organization (2022). *Global Report on Health Equity for Persons with Disabilities*. [online] World Health Organization. Available at: <https://www.who.int/publications/i/item/9789240063600>.

