



# Fake Product Identification Using Deep Learning

<sup>1</sup>Pratibha Borude,<sup>2</sup>Vaibhavi Fodse,<sup>3</sup>Rutuja Vilayate,<sup>4</sup>Priyanka Shingate,<sup>5</sup>K. S. Hangargi

<sup>1</sup>Student, <sup>2</sup>Student, <sup>3</sup>Student, <sup>4</sup>Student, <sup>5</sup>Assistant Professor

*B. E., Department of Computer Engineering*

*P K Technical Campus, Pune. India*

## ABSTRACT

As the trend to shop online is increasing day by day and more people are interested in buying the products of their need from the online stores. This type of shopping does not take a lot of time of a customer. Customer goes to online store, search the item of his/her need and place the order. But, the thing by which people face difficulty in buying the products from online store is the bad quality of the product. Customer place the order only by looking at the rating and by reading the reviews related to the particular product. Such comments of other people are the source of satisfaction for the new product buyer. Here, it may be possible that the single negative review changes the angle of the customer not to buy that product. In this situation, it might possible that this one review is fake. So, in order to remove this type of fake reviews and provide the users with the original reviews and rating related to the products, we proposed a Fake Product Review Monitoring and Removal System (FaRMS) which is an Intelligent Interface and takes the Uniform Resource Locator (URL) related to products of Amazon, Flipkart and Daraz and analyzes the reviews, and provides the customer with the original rating. It is a unique quality of the proposed system that it works with the three e-commerce Websites and not only analyzes the reviews in English but also the reviews written in Urdu and Roman Urdu. Previous work on fake reviews does not support feature to analyse the reviews written in languages like Urdu and Roman Urdu and cannot handle the reviews of multiple e-commerce Websites. The proposed work achieved the accuracy of 87% in detecting fake reviews of written in English by using

intelligent learning techniques which is greater than the accuracy of the previous systems.

## INTRODUCTION

There are different ways to shop like you can buy a specific thing of your need by going to a store or mall. In this style of shopping the seller gives you the feedback of the product, you do not know whether he/she is giving fake feedback or original. Because, it is upon seller honesty, how much the seller is true in his/her words and you have to carefully examine the product because you do not have any other option in examining the product. If you don't pay attention in buying that product then it may be proved a waste for you. On the other hand, nowadays source of shopping has been changed. You can buy the products from the online stores of different brands. Here, you have to place the order without seeing and examining the original product. You read the reviews and buy the product. Therefore, you are dependent on the reviews about the product. These reviews may be the original or fake. The customer wants to buy an original and reliable product, which is possible only when you get the original feedback related to that product. Research shows that U.S. shoppers spend \$6 billion in Black Friday sale 2018. Americans spend 36% of the shopping budget online. In 2017, E-commerce stores earned \$2.3 trillion in sales and expected to reach \$4.5 trillion by 2021. Today, almost 12-24 million ecommerce stores are operating around the world. Study found that 61% of Amazon reviews that belongs to Electronics Category are fake. There are some websites which are working to detect the fake reviews. Fake spot is an online website that detects fake reviews using suspicious patterns and

reviewers' activity. As in the process of buying the product from the online stores you have to read all the reviews one by one to check for the quality of that product and to get a good quality product. It is a very time-consuming process. Here this possibility also falls that the reviews may be fake or original.

## EXISTING SYSTEM

The system in which you can find the original feedback and rating related to a specific product. Then, it is the source of satisfaction and reliability for you. In the proposed technique, the reviews related to a product for which the URL is given are extracted. After it, the system finds the fake reviews and finally by analysing these reviews system finds the original reviews of the product. Previous researches detect fake reviews using different approaches including identification address, opinion mining and sentiment analysis, machine-learning approach. There are many researches available that detect the fake reviews related to English but no work is done so far that detect fake reviews for Urdu (highly spoken language in Asia) and Roman Urdu. Therefore, we have proposed Fake Product Review Monitoring and Removal System (FaRMS) in which a customer can get the best possible item from the online store in a short time and with the original reviews associated with that product. This system gives you the original words of people related to the product with genuine reviews. Some popular products can get hundreds of reviews at some large merchant sites and FaRMS gives you the promising reviews by filtering fake reviews and then you can decide whether you want to buy or not. review-centric feature and reviewer-centric features. Firstly, they count the percentages of each unigram and bigram tokens for fake and non-fake reviews. They then take out the top 100 unigrams and bigrams that have the most different percentages in fake and non-fake reviews. The second approach leads to the better performance because it processed all the unigrams and bigrams. They tested multiple algorithms of machine learning but by using the Neural Networks they achieved the highest accuracy of about 81.92%. This system is good in finding the fake reviews but still there is a need to improve the accuracy in filtering the reviews.

## PROPOSED SYSTEM

A technique to rank the product is worked to present a product ranking model that applies weights to product review factors to calculate a product ranking score. In this proposed system, the sentences that are not related with the quality of a product such as customer service or sentence related to the. In this paper the pre-processing is done by Support Vector Machine (SVM). First of all, it removes the comments which neither is nor related with the quality of the

product. Second stage describes the weights of the reviews based on the votes. The final stage calculates the overall ranking of the product. The ranking score is calculated by the relevance of the review with quality of the product, review content, and posting date of the review. They use 10-fold cross validation on the training set. In the evaluation process they use two measures to quantify effectiveness of the ranking model which are as following: correlation between the ranking method and the Amazon's rank and second is the Mean Average Precision (MAP), which is a very commonly used technique for evaluating ranking accuracy. As this system is finding the fake reviews by using the only two properties of the reviews but as per the future work describes in the paper more properties can be used to find out the fake reviews more accurately.

Spam reviews detection by using Temporal Pattern Discovery is proposed to observe the reviews related to the normal reviewer's arrival pattern and fake reviewers arrival pattern and they observe that the normal reviewer arrival pattern is stable and uncorrelated to their rating pattern temporally. On the opposite side the spam attacks are usually bursty and either positively or negatively correlated with the rating pattern. The data set which they have taken is snapshot of a review Website on October 6, 2010. It includes 408469 reviews which are written by 343629 reviewers, which are written for 25034 stores of a website. For each review they collect the following information like rating, postdate and whether it is a Spammer Review (SR) or not. In the evaluation process they select 53 stores each of which has more than 1000 reviews. Human evaluators make decision about the stores to be SR spam attack or not if two or more evaluators declared a store as SR spam attack than system considers the store a dishonest in its selling. Out of 53 stores 34 are suspicious one and the remaining are normal ones. Out of 34 stores 22 stores have at least two votes for being suspicious. The recall related to the system is 75.86% which shows that the system detects most of the stores having SR spam attack.


The precision related to the proposed approach is 61.11%. This proposed system is good in terms of the training of their model for finding the relation as the model is trained by using the large number of reviews contains in their dataset.

score. Cosine similarity is used to measure this type of similarity. If the cosine value to be calculated is greater than 0.5 than the review is considered as the fake review. The developed system detected the 111 reviews to be faked out of 300 reviews. However, the data set which is used for training the model is very small which cannot find the suspicious patterns more accurately.

In the open data discipline, data set is the unit to measure the information released in a public open data repository. The European Open Data portal aggregates more than half a million data sets. In this field other definitions have been proposed, but currently there is not an official one.

## SYSTEM ARCHITECTURE

### Feature extraction module



Feature extraction is a process of dimensionality

- Data set module
- Feature extraction module
- Training module
- Classification module
- Output module

## MODULE DESCRIPTION

### Data set module

A data set (or dataset) is a collection of data. In the case of tabular data, a data set corresponds to one or more database tables, where every column of a table represents a particular variable, and each row corresponds to a given record of the data set in question. The data set lists values for each of the variables, such as height and weight of an object, for each member of the data set. Each value is known as a datum. Data sets can also consist of a collection of documents or files reduction by which an initial set of raw data is reduced to more manageable groups for processing. A characteristic of these large data sets is a large number of variables that require a lot of computing resources to process. Feature extraction is the name for methods that select and/or combine variables into features, effectively reducing the amount of data that must be processed, while still accurately and completely describing the original data set.

The process of feature extraction is useful when you need to reduce the number of resources needed for processing without losing important or relevant information. Feature extraction can also reduce the amount of redundant data for a given analysis. Also, the reduction of the data and the machine's efforts in building variable combinations (features) facilitate the speed of learning and generalization steps in the machine learning process.

### Classification module

Classification is a machine learning method that uses data to determine the category, type, or class of an item or row of data. For example, you can use classification to:

- Classify email filters as spam, junk, or good.
- Determine whether a patient's lab sample is cancerous.
- Categorize customers by their propensity to respond to a sales campaign.
- Identify sentiment as positive or negative. Classification tasks are frequently organized by whether a classification is binary (either A or B) or multiclass (multiple categories that can be predicted by using a single model).

Output module reliable isolation. A transistor output photo coupler or an IC output photo coupler which has high-speed communication capability is recommended. In addition, it is essential to observe the safety standards established in each country. Toshiba Photo couplers have been approved by UL1577, VDE: EN60747-5-5, EN62368-1, and other organizations. The output stage also contributes to lower power dissipation through MOSFET of low on-resistance and higher output through the use of transistor arrays with high withstand voltage and large current.

## HARDWARE REQUIREMENTS

### System requirements

To be used efficiently, all computer software needs certain hardware components or other software resources to be present on a computer. These prerequisites are known as (computer) system requirements and are often used as a guideline as opposed to an absolute rule. Most software defines two sets of system requirements: minimum and recommended. With increasing demand for higher processing power and resources in newer versions of software, system requirements tend to increase over time. Industry analysts suggest that this trend plays a bigger part in driving upgrades to existing computer systems than technological advancements. A second meaning of the term of system requirements, is a generalisation of this first definition, giving the requirements to be met in the design of a system or sub-system.

### Hardware requirements

The most common set of requirements defined by any operating system or software application is the physical computer resources, also known as hardware. A hardware requirements list is often accompanied by a hardware compatibility list (HCL), especially in case of operating systems. An HCL lists tested, compatible, and sometimes incompatible hardware devices for a particular operating system or application. The following sub-sections discuss the various aspects of hardware requirements.

### Architecture

All computer operating systems are designed for a particular computer architecture. Most software applications are limited to particular operating systems running on particular architectures. Although architecture-independent operating

systems and applications exist, most need to be recompiled to run on a new architecture. See also a list of common operating systems and their supporting architectures.

### Processing power

The power of the central processing unit (CPU) is a fundamental system requirement for any software. Most software running on x86 architecture define processing power as the model and the clock speed of the CPU. Many other features of a CPU that influence its speed and power, like bus speed, cache, and MIPS are often ignored. This definition of power is often erroneous, as AMD Athlon and Intel Pentium CPUs at similar clock speed often have different throughput speeds. Intel Pentium CPUs have enjoyed a considerable degree of popularity, and are often mentioned in this category.

### Memory

All software, when run, resides in the random-access memory (RAM) of a computer. Memory requirements are defined after considering demands of the application, operating system, supporting software and files, and other running processes. Optimal performance of other unrelated software running on a multi-tasking computer system is also considered when defining this requirement.

### Secondary storage

Data storage device requirements vary, depending on the size of software installation, temporary files created and maintained while installing or running the software, and possible use of swap space (if RAM is insufficient).

### Display adapter

Software requiring a better than average computer graphics display, like graphics editors and high-end games, often define high-end display adapters in the system requirements.

### Software requirements

Software requirements deal with defining software resource requirements and prerequisites that need to be installed on a computer to provide optimal

functioning of an application. These requirements or prerequisites are generally not included in the software installation package and need to be installed separately before the software is installed.

### Platform

A computing platform describes some sort of framework, either in hardware or software, which allows software to run. Typical platforms include a computer's architecture, operating system, or programming languages and their runtime libraries.

Operating system is one of the requirements mentioned when defining system requirements (software). Software may not be compatible with different versions of same line of operating systems, although some measure of backward compatibility is often maintained. For example, most software designed for Microsoft Windows XP does not run on Microsoft Windows 98, although the converse is not always true. Similarly, software designed using newer features of Linux Kernel v2.6 generally does not run or compile properly (or at all) on Linux distributions using Kernel v2.2 or v2.4.

### APIs and drivers

Software making extensive use of special hardware devices, like high-end display adapters, needs special API or newer device drivers. A good example is DirectX, which is a collection of APIs for handling tasks related to multimedia, especially game programming, on Microsoft platforms.

### Web browser

Most web applications and software depend heavily on web technologies to make use of the default browser installed on the system. Microsoft Internet Explorer is a frequent choice of software running on Microsoft Windows, which makes use of ActiveX controls, despite their vulnerabilities.

### Other requirements

Some software also has other requirements for proper performance. Internet connection (type and speed) and resolution of the display screen are notable examples

### Examples

Following are a few examples of system requirement definitions for popular PC games and trend of ever- increasing resource needs:

For instance, while StarCraft (1998) requires:

System requirements [hide]	
Requirements	
Windows	
Operating system	Windows 95 or NT or superior
CPU	Pentium processor at 90 MHz or higher
Memory	16 MB RAM
Free space	80 MB available
Media	CD-ROM, 2x or higher
Graphics hardware	DirectX 3.0 or higher

System requirements [hide]	
Requirements	
Windows	
Operating system	Windows 2000/XP
CPU	Pentium 4 1.5 GHz or Athlon XP 1500+ processor or higher
Memory	384 MB RAM
Free space	2.2 GB free space
Media	8x Speed CD-ROM
Graphics hardware	3D Hardware Accelerator - 64MB of memory minimum DirectX 9.0b
Sound hardware	DirectX 9.0b compatible 16-bit sound card

System requirements [hide]	
Requirements	
Windows	
Operating system	Windows Windows XP SP3, Windows Vista SP2, Windows 7
CPU	Core 2 Duo or Athlon X2 at 2.4 GHz
Memory	2 GB RAM
Free space	8 GB of free space, 23.8 GB + 1 GB Swap File space
Graphics hardware	DirectX 9.0c compatible video card. 3D Hardware Accelerator - 256MB of memory minimum
Sound hardware	DirectX 9.0c compatible sound card

System requirements [hide]	
Requirements	
Windows	
Operating system	Windows 8.1 64 Bit, Windows 8 64 Bit, Windows 7 64 Bit Service Pack 1, Windows Vista 64 Bit Service Pack 2
CPU	Core 2 Quad Q6600 at 2.4 GHz or AMD Phenom 9850 at 2.5 GHz
Memory	4 GB RAM
Free space	65 GB of free space
Graphics hardware	DirectX 10-compatible GPU: GeForce 9800GT 1GB or ATI Radeon HD 4870 1GB
Sound hardware	DirectX 10 compatible sound card

## SOFTWARE REQUIREMENTS

Python is an interpreter, high-level Object and general-purpose programming language. Python's design philosophy emphasizes code readability with its notable use of significant indentation. Its language constructs and object-oriented approach aim to help programmers write clear, logical code for small and large-scale projects.

Python is dynamically typed and garbage-collected. It supports multiple programming paradigms, including structured (particularly, procedural), object-oriented and functional programming.

Python is often described as a "batteries included" language due to its comprehensive standard library.

Guido van Rossum began working on Python in the late 1980's, as a successor to the ABC programming language, and first released it in 1991 as Python 0.9.1.[31] Python 2.0 was released in 2000 and introduced new features, such as list comprehensions and a garbage collection system using reference counting and was discontinued with version 2.7.18 in 2020. Python 3.0 was released in 2008 and was a major revision of the language that is not completely backward-compatible and much Python 2 code does not run unmodified on Python 3.

Python consistently ranks as one of the most popular programming languages

## DESIGN PHILOSOPHY AND FEATURES

Python is a multi-paradigm programming language. Object-oriented programming and structured programming are fully supported, and many of its features support functional programming and aspect-oriented programming (including by metaprogramming and metaobjects (magic methods)). Many other paradigms are supported via extensions, including design by contract and logic programming. Python uses dynamic typing and a combination of reference counting and a cycle-detecting garbage collector for memory management. It also features dynamic name resolution (late binding), which binds method and variable names during program execution. Python's design offers some support for functional programming in the Lisp tradition. It has filter, map, and reduce functions; list comprehensions, dictionaries, sets, and generator expressions. The standard library has two modules (intercools and functions) that implement functional tools borrowed from Haskell and Standard ML.

The language's core philosophy is summarized in the document The Zen of Python (PEP 20), which includes aphorisms such as:

- Beautiful is better than ugly.
- Explicit is better than implicit.
- Simple is better than complex.
- Complex is better than complicated.
- Readability counts.

Rather than having all of its functionality built into its core, Python was designed to be highly extensible. This compact modularity has made it particularly popular as a means of adding programmable interfaces to existing applications. Van Rossum's vision of a small core language with a

large standard library and easily extensible interpreter stemmed from his frustrations with ABC, which espoused the opposite approach.

Python strives for a simpler, less-cluttered syntax and grammar while giving developers a choice in their coding methodology. In contrast to Perl's "there is more than one way to do it" motto, Python embraces a "there should be one— and preferably only one — obvious way to do it" design philosophy. Alex Martelli, a Fellow at the Python Software Foundation and Python book author, writes that "To describe something as 'clever' is not considered a compliment in the Python culture."

Python's developers strive to avoid premature optimization and reject patches to non-critical parts of the CPython reference implementation that would offer marginal increases in speed at the cost of clarity. When speed is important, a Python programmer can move time-critical functions to extension modules written in languages such as C, or use PyPy, a just-in-time compiler. Cython is also available, which translates a Python script into C and makes direct C-level API calls into the Python interpreter.

An important goal of Python's developers is keeping it fun to use. This is reflected in the language's name—a tribute to the British comedy group Monty Python—and in occasionally playful approaches to tutorials and reference materials, such as examples that refer to spam and eggs (from a famous Monty Python sketch) instead of the standard foo and bar.

A common neologism in the Python community is *pythonic*, which can have a wide range of meanings related to program style. To say that code is *pythonic* is to say that it uses Python idioms well, that it

natural or shows fluency in the language, that it conforms with Python's minimalist philosophy and emphasis on readability. In contrast, code that is difficult to understand or reads like a rough transcription from another programming language is called *unpythonic*.

## LIBRARIES

Python's large standard library, commonly cited as one of its greatest strengths,[113] provides tools suited to many tasks. For Internet-facing applications, many standard formats and protocols such as MIME and HTTP are supported. It includes modules for creating graphical user interfaces, connecting to relational databases, generating pseudorandom numbers, arithmetic with arbitrary-precision decimals, manipulating regular expressions, and unit testing.

Some parts of the standard library are covered by specifications (for example, the Web Server Gateway Interface (WSGI) implementation `wsgiref` follows PEP 333), but most modules are not. They are specified by their code, internal documentation, and test suites. However, because most of the standard library is cross-platform Python code, only a few modules need altering or rewriting for variant implementations.

As of March 2021, the Python Package Index (PyPI), the official repository for third-party Python software, contains over 290,000 packages with a wide range of functionality, including:

- Automation
- Data analytics
- Databases
- Documentation
- Graphical user interfaces
- Image processing
- Machine learning
- Mobile App
- Multimedia
- Computer Networking
- Scientific computing
- System administration
- Test frameworks
- Text processing
- Web frameworks
- Web scraping

## DEVELOPMENT ENVIRONMENTS

Most Python implementations (including CPython) include a read-eval-print loop (REPL), permitting them to function as a command line interpreter for which the user enters statements sequentially and receives results immediately.

Other shells, including IDLE and IPython, add further abilities such as improved auto-completion, session state retention and syntax highlighting.

As well as standard desktop integrated development environments, there are Web browser-based IDEs; SageMath (intended for developing science and math-related Python programs); PythonAnywhere, a browser-based IDE and hosting environment; and Canopy IDE, a commercial Python IDE emphasizing scientific computing.

## IMPLEMENTATIONS

- PyPy is a fast, compliant interpreter of Python 2.7 and 3.6. Its just-in-time compiler brings a significant speed

improvement over CPython but several libraries written in C cannot be used with it.

- Stackless Python is a significant fork of CPython that implements microthreads; it does not use the call stack in the same way, thus allowing massively concurrent programs. PyPy also has a stackless version.
- MicroPython and CircuitPython are Python 3 variants optimized for microcontrollers, including Lego Mindstorms EV3.
- Pyston is a variant of the Python runtime that uses just-in-time compilation to speed up the execution of Python programs.
- PyS60 was a Python 2 interpreter for Series 60 mobile phones released by Nokia in 2005. It implemented many of the modules from the standard library and some additional modules for integrating with the Symbian operating system. The Nokia N900
- Cross-compilers to other languages

There are several compilers to high-level object languages, with either unrestricted Python, a restricted subset of Python, or a language similar to Python as the source language:

- Cython compiles (a superset of) Python 2.7 to C (while the resulting code is also usable with Python 3 and also e.g., C++).
- Nuitka compiles Python into C++.
- Pythran compiles a subset of Python 3 to C++.
- Pyrex (latest release in 2010) and Shed Skin (latest release in 2013) compile to C and C++ respectively.
- Google's Grumpy (latest release in 2017) transpiles Python 2 to Go.
- IronPython (now abandoned by Microsoft) allows running Python 2.7 programs on the .NET Common Language Runtime.
- Jython compiles Python 2.7 to Java bytecode, allowing the use of the Java libraries from a Python program.
- MyHDL is a Python-based hardware description language (HDL), that converts MyHDL code to Verilog or VHDL code.
- Numba uses LLVM to compile a subset of Python to machine code.
- Brython, Transcrypt and Pyjs (latest release in 2012) compile Python to JavaScript.
- RPython can be compiled to C, and is used to build the PyPy interpreter of Python.

## Performance

A performance comparison of various Python implementations on a non-numerical (combinatorial) workload was presented at EuroSciPy '13. Python's performance compared to other programming languages is also benchmarked by The Computer Language Benchmarks Game.

## DEVELOPMENT

Python's development is conducted largely through the Python Enhancement Proposal (PEP) process, the primary mechanism for proposing major new features, collecting community input on issues and documenting Python design decisions. Python coding style is covered in PEP 8. Outstanding PEPs are reviewed and commented on by the Python community and the steering council.

Enhancement of the language corresponds with development of the CPython reference implementation. The mailing list python-dev is the primary forum for the language's development. Specific issues are discussed in the Roundup bug tracker hosted at bugs.python.org. Development originally took place on a self-hosted source-code repository running Mercurial, until Python moved to GitHub in January 2017.

- Backward-incompatible versions, where code is expected to break and needs to be manually ported. The first part of the version number is incremented. These releases happen infrequently—version 3.0 was released 8 years after 2.0.
- Major or "feature" releases, occurred about every

18 months but with the adoption of a yearly release cadence starting with Python 3.9 are expected to happen once a year. They are largely compatible but introduce new features. The second part of the version number is incremented. Each major version is supported by bugfixes for several years after its release.

Many alpha, beta, and release-candidates are also released as previews and for testing before final releases. Although there is a rough schedule for each release, they are often delayed if the code is not ready. Python's development team monitors the state of the code by running the large unit test suite during development.

The major academic conference on Python is PyCon. There are also special Python mentoring programmes, such as Pyladies.

Pythons 3.10 deprecates wstr (to be removed in Python 3.12; meaning Python extensions need to be modified by then),[159] and also plans to add pattern matching to the language.

## API documentation generators

Python API documentation generators include pydoc and Sphinx.

## Naming

Python's name is derived from the British comedy group Monty Python, whom Python creator Guido van Rossum enjoyed while developing the language. Monty Python references appear frequently in Python code and culture;[161] for example, the metasyntactic variables often used in Python literature are spam and eggs instead of the traditional foo and bar. The official Python documentation also contains various references to Monty Python routines. The prefix Py- is used to show that something is related to Python. Examples of the use of this prefix in names of Python applications or libraries include Pygame, a binding of SDL to Python (commonly used to create games); PyQt and PyGTK, which bind Qt and GTK to Python respectively; and PyPy, a Python implementation originally written in Python.

## Uses

Since 2003, Python has consistently ranked in the top ten most popular programming languages in the TIOBE Programming Community Index where, as of February 2021, it is the third most popular language (behind Java, and C). It was selected Programming Language of the Year (for "the highest rise in ratings in a year") in 2007, 2010, 2018, and 2020 (the only language to do so four times

An empirical study found that scripting languages, such as Python, are more productive than conventional languages, such as C and Java, for programming problems involving string manipulation and search in a dictionary and determined that memory consumption was often "better than Java and not much worse than C or C++".

Large organizations that use Python include Wikipedia, Google, Yahoo!, CERN, NASA, Facebook, Amazon, Instagram, Spotify and some smaller entities like ILM and ITA. The social news networking site Reddit was written mostly in Python. Python can serve as a scripting language for web applications, e.g., via `mod_wsgi` for the Apache web server. With Web Server Gateway Interface, a

standard API has evolved to facilitate these applications. Web frameworks like Django, Pylons, Pyramid, TurboGears, web2py, Tornado, Flask, Bottle and Zope support developers in the design and maintenance of complex applications. Pyjs and IronPython can be used to develop the client-side of Ajax-based applications. SQLAlchemy can be used as a data mapper to a relational database. Twisted is a framework to program communications between computers and is used (for example) by Dropbox.

Libraries such as NumPy, SciPy and Matplotlib allow the effective use of Python in scientific computing with specialized libraries such as Biopython and Astropy providing domain-specific functionality. SageMath is a mathematical software with a notebook

interface programmable in Python: its library covers many aspects of mathematics, including algebra, combinatorics, numerical mathematics, number theory, and calculus. OpenCV has python bindings with a rich set of features for computer vision and image processing.

Python is commonly used in artificial intelligence projects and machine learning projects with the help of libraries like TensorFlow, Keras, Pytorch and Scikit-learn. As a scripting language with modular architecture, simple syntax and rich text processing tools, Python is often used for natural language processing.

Python has been successfully embedded in many software products as a scripting language, including in finite element method software such as Abaqus, 3D parametric modeler like FreeCAD, 3D animation packages such as 3ds Max, Blender, Cinema 4D, Lightwave, Houdini, Maya, modo, MotionBuilder, Softimage, the visual effects compositor Nuke, 2D imaging programs like GIMP, Inkscape, Scribus and Paint Shop Pro, and musical notation programs like scorewriter and capella. GNU Debugger uses Python as a pretty printer to show complex structures such as C++ containers. Esri promotes Python as the best choice for writing scripts in ArcGIS. It has also been used in several video games and has been adopted as first of the three available programming languages in Google App Engine, the other two being Java and Go.[194]

Many operating systems include Python as a standard component. It ships with most Linux distributions, AmigaOS 4 (using Python 2.7), FreeBSD (as a package), NetBSD, OpenBSD (as a package) and macOS and can be used from the command line (terminal). Many Linux distributions use installers written in Python: Ubuntu uses the

Ubiquity installer, while Red Hat Linux and Fedora use the Anaconda installer. Gentoo Linux uses Python in its package management system, Portage.

#### Languages influenced by Python

Python's design and philosophy have influenced many other programming languages:

- Boo uses indentation, a similar syntax, and a similar object model.
- Cobra uses indentation and a similar syntax, and its Acknowledgements document lists Python first among languages that influenced it.
- CoffeeScript, a programming language that cross- compiles to JavaScript, has Python-inspired syntax.
- ECMAScript/JavaScript borrowed iterators and generators from Python.
- GDScript, a scripting language very similar to Python, built-in to the Godot game engine.
- Go is designed for the "speed of working in a dynamic language like Python" and shares the same syntax for slicing arrays.
- Groovy was motivated by the desire to bring the Python design philosophy to Java.
- Julia was designed to be "as usable for general programming as Python".
- Nim uses indentation and similar syntax.
- Ruby's creator, Yukihiro Matsumoto, has said: "I wanted a scripting language that was more powerful than Perl, and more object-oriented than Python. That's why I decided to design my own language."
- Swift, a programming language developed by Apple, has some Python-inspired syntax.

#### Keras

Keras is an open-source neural network library written in Python. It is capable of running on top of Tensor Flow, Microsoft Cognitive Toolkit, or Theano. Designed to enable fast experimentation with deep neural networks, it focuses on being user-friendly, modular, and extensible. It was developed as part of the research effort of project ONEIROS (Open-ended Neuro-Electronic Intelligent Robot Operating System),[2] and its primary author and maintainer is François Chollet, a Google engineer.

In 2017, Google's TensorFlow team decided to support Keras in TensorFlow's core library. Chollet explained that Keras was conceived to be an

interface rather than a standalone machine-learning framework. It offers a higher-level, more intuitive set of abstractions that make it easy to develop deep learning models regardless of the computational backend used. Microsoft added a CNTK backend to Keras as well, available as of CNTK v2.0.

### Key Features

Commonly used neural network building blocks such as layers, objectives, activation functions, optimizers, and a host of tools to make working with image and text data easier.

The code is hosted on GitHub, and community support forums include the GitHub issues page, and a Slack channel.

### Users view of Keras

Keras allows users to productize deep models on smart phones (iOS and Android), on the web, or on the Java Virtual Machine.

It also allows use of distributed training of deep learning models on clusters of Graphics Processing Units (GPU) and Tensor processing units (TPU) Keras is a high-level neural networks API, written in Python and capable of running on top of TensorFlow, CNTK, or Theano. It was developed with a focus on enabling fast experimentation. Being able to go from idea to result with the least possible delay is key to doing good research.

Use Keras if you need a deep learning library that: Allows for easy and fast prototyping (through user friendliness, modularity, and extensibility).

Supports convolutional networks and recurrent networks, as well as combinations of the two.

User friendliness. Keras is an API designed for human beings, not machines. It puts user experience front and centre. Keras follows best practices for reducing cognitive load: it offers consistent & simple APIs, it minimizes the number of user actions required for common use cases, and it provides clear and actionable feedback upon user error.

Modularity. A model is understood as a sequence or a graph of standalone, fully configurable modules that can be plugged together with as few restrictions as possible. In particular, neural layers, cost functions, optimizers, initialization schemes, activation functions, regularization schemes are all standalone modules that you can combine to create new models. Easy extensibility.

New modules are simple to add (as new classes and functions), and existing modules provide ample examples. To be able to easily create new modules allows for total expressiveness, making Keras suitable for advanced research. Work with Python. No separate model's configuration files in a declarative format. Models are described in Python code, which is compact, easier to debug, and allows for ease of extensibility.

### CoCo Dataset

Object detection is a computer technology related to computer vision and image processing that deals with detecting instances of semantic objects of a certain class (such as humans, buildings, or cars) in digital images and videos.[1] Well-researched domains of object detection include face detection and pedestrian detection. Object detection has applications in many areas of computer vision, including image retrieval and video surveillance.

### Uses

It is widely used in computer vision tasks such as image annotation, activity recognition, face detection, face recognition, video object co-segmentation. It is also used in tracking objects, for example tracking a ball during a football match, tracking movement of a cricket bat, or tracking a person in a video.

### Concept

Every object class has its own special features that helps in classifying the class for example all circles are round. Object class detection uses these special features. For example, when looking for circles, objects that are at a particular distance from a point (i.e., the centre) are sought. Similarly, when looking for squares, objects that are perpendicular at corners and have equal side lengths are needed. A similar approach is used for face identification where eyes, nose, and lips can be found and features like skin colour and distance between eyes can be found.

### METHODS

Methods for object detection generally fall into either neural network-based or non-neural approaches. For non-neural approaches, it becomes necessary to first define features using one of the methods below, then using a technique such as support vector machine (SVM) to do the classification. On the other hand, neural techniques

are able to do end-to-end object detection without specifically defining features and are typically based on convolutional neural networks (CNN).

Non-neural approaches:

- Viola–Jones object detection framework based on Haar features
- Scale-invariant feature transform (SIFT)
- Histogram of oriented gradients (HOG) features

Neural network approaches:

- Region Proposals (R-CNN, Fast R-CNN, Faster R-CNN, cascade R-CNN.)
- Single Shot MultiBox Detector (SSD)
- You Only Look Once (YOLO)
- Single-Shot Refinement Neural Network for Object Detection (RefineDet)
- Retina-Net
- Deformable convolutional networks

## LITERATURE REVIEW

### Fake Product Review Monitoring Using Opinion Mining

Product reviews play an important role in deciding the sale of a particular product on the e-commerce websites or applications like Flipkart, Amazon, Snap deal, etc. In this paper, we propose a framework to detect fake product review or spam reviews by using Opinion Mining. The Opinion mining is also known as Sentiment Analysis. In sentiment analysis, we try to figure out the opinion of a customer through a piece of text. We first take the review and check if the review is related to the specific product with the help of Decision tree. We use Spam dictionary to identify the spam words in the reviews. In Text Mining we apply several algorithms and on the basis of these algorithms we get the specific results.

### Black Friday Purchases

The top selling products on Black Friday were laptops, with lots of people taking advantage of the savings to pick up a new machine. Other top sellers were games like God of War and Let's Go Pikachu, and children's toys like Fingerlings. This is a reminder that although Black Friday is increasingly thought of as a day for adults to pick-up big-ticket items like electronics and appliances, the market for kid's toys is still a significant part of sales.

### Study Finds 61 Percent of Electronics Reviews on Amazon Are Fake

As the trend to shop online is increasing day by day and more people are interested in buying the products of their need from the online stores. This type of shopping does not take a lot of time of a customer.

Customer goes to online store, search the item of his/her need and place the order. But, the thing by which people face difficulty in buying the products from online store is the bad quality of the product. Customer place the order only by looking at the rating and by reading the reviews related to the particular product. Such comments of other people are the source of satisfaction for the new product buyer. Here, it may be possible that the single negative review changes the angle of the customer not to buy that product. In this situation, it might possible that this one review is fake. So, in order to remove this type of fake reviews and provide the users with the original reviews and rating related to the products, we proposed a Fake Product Review Monitoring and Removal System (FaRMS) which is an Interface and takes the Uniform Resource Locator (URL) related to products of Amazon, Flipkart and analyzes the reviews, and provides the customer with the original rating. The proposed work achieved the accuracy of 87% in detecting fake reviews of written in English by using intelligent learning techniques which is greater than the accuracy of the previous systems.

## CONCLUSION

In the proposed work, dataset is developed that contains Urdu and Roman Urdu reviews. It is difficult to detect fake reviews by yourself. So, n-gram approach is used to detect fake reviews for multiple languages. It is observed that the text categorization with SVM classifier is best approach for the detection of fake reviews. Now a days, as the technology is growing day by day and there are so many Websites and applications available in the online market by which seller can sell their products and, on that product, there are millions of reviews available. There are some organizations posting fake reviews for the products of the seller in order to increase or decrease the rating of the products. Therefore, the system is proposed that detects the fake reviews in multiple languages including English, Urdu, and Roman Urdu, classify the reviews in genuine. It helps the user to get the products from Daraz, Flipkart and Amazon with the satisfaction of their mind and pay for the good

quality product. As, there are a lot of e-commerce stores like AliExpress and Alibaba which have reviews of multiple languages. It would be great if the proposed system finds the way, to process and filter the reviews for other multiple languages.

## REFERENCES

- [1] A. Sinha, N. Arora, S. Singh, M. Cheema, and A. Nazir, "Fake Product Review Monitoring Using Opinion Mining," vol. 119, no. 12, pp. 13203–13209, 2018.
- [2] Torbet, Georgina. "U.S. Customers Spent over \$6 Billion on Black Friday Purchases." Digital Trends, Digital Trends, 25 Nov. 2018, [www.digitaltrends.com/web/shopping-totals-black-friday/](http://www.digitaltrends.com/web/shopping-totals-black-friday/)
- [3] Sterling, Greg. "Study Finds 61 Percent of Electronics Reviews on Amazon Are 'Fake'." Marketing Land, 19 Dec. 2018, [marketingland.com/study-finds-61-percent-of-electronics-reviews-on-amazon-are-fake-254055](http://marketingland.com/study-finds-61-percent-of-electronics-reviews-on-amazon-are-fake-254055).
- [4] K. Khan, W. Khan, A. Rehman, A. Khan, Asfandyar. Khan, A. Ullah Khan, B. Saqia, "Urdu Sentiment Analysis," (IJACSA) International Journal of Advanced Computer Science and Applications, Vol. 9, No. 9, 2018.
- [5] A. Mukherjee, B. Liu, and N. Glance, "Spotting Fake Reviewer Groups in Consumer Reviews," 2012.
- [6] A. Mukherjee, V. Venkataraman, B. Liu, and N. Glance, "What Yelp Fake Review Filter Might Be Doing?," Aaai, pp. 409–418, 2013
- [7] Z. Wang, Y. Zhang, and T. Qian, "Fake Review Detection on Yelp Dataset and features," pp.
- [8] S. Xie, G. Wang, S. Lin, and P. S. Yu, "Review spam detection via temporal pattern discovery," p. 823, 2012.
- [9] C. Paper, "Mining millions of reviews: A technique to rank products based on importance of reviews Mining Millions of Reviews: A Technique to Rank Products Based on Importance of Reviews," no. November, 2015.
- [10] V. K. Madhura N Hegde, Sanjeetha K Shetty, Sheikh Mohammed Anas, "Fake product review monitoring," Int. Res. J. Eng. Technol., vol. 05, no. 06, p. 4, 2018.